ESS Quick Installation Guide



This quick installation guide lists all the steps that are needed to install and configure a Victron Energy ESS system. It briefly explains each step. It also provides links to locations where more in depth information about each step can be found. The full ESS manual can be found here: designinstallation-manual



Step 1 - Understand how a Victron Energy ESS system works.

Familiarize yourself with the Victron Energy ESS system. A good place to start is to watch this video:



Video

To summarize: There are basically a few different ways to set an ESS system up. remember that combinations of these are possible as well:

- DC coupled ESS
- AC coupled ESS
- Energy meter is used
- Grid parallel
- Essential loads are used

These are the basic wiring diagrams for each type:



Step 2 - Select the system hardware

Please see below lists. links are provided to the relevant equipment product pages

You will need:

- Victron inverter/charger(s): https://www.victronenergy.com/inverters-chargers
- Victron Interface MK3-USB: https://www.victronenergy.com/accessories/interface-mk3-usb
- Victron CCGX or Venus GX: https://www.victronenergy.com/panel-systems-remote-monitoring
- RJ45 UTP cable(s): https://www.victronenergy.com/cables/rj45-utp-cable
- Batteries

For a DC coupled ESS you will also need:

- Victron MPPT solar chargers: https://www.victronenergy.com/solar-charge-controllers
- Victron VE.direct cable(s): https://www.victronenergy.com/cables/ve.direct.cable

For an AC coupled ESS you will also need:

• Grid tied inverter

If the ESS needs an energy meter you might need:

- Victron Power meters: https://www.victronenergy.com/accessories/energy-meter
- Victron ASS030572018 RS485 to USB interface 1.8m
- Victron Zigbee to USB and RS485 converter: https://www.victronenergy.com/accessories/zigbee-converters
- Victron Current transformer: https://www.victronenergy.com/accessories/current-transformer-for-multiplus-ii

To measure PV from an non Fronius , SMA or Solar edge you might need:

- Victron Current sensor: https://www.victronenergy.com/accessories/ac-current-sensor
- Victron Power meters: https://www.victronenergy.com/accessories/energy-meter

To equip a CCGX or Venus GX with Wifi you will need:

• Victron WiFi module: BPP900100200 or BPP900200200

In case of a smart battery you might need:

• VE.Can to CAN-bus BMS cable: https://www.victronenergy.com.au/cables/ve-can-to-can-bus-bms

step 3 - Install all equipment

2025-07-26 05:46

Install and wire all system parts according to their manuals. For the applicable manuals, see the links in the prevision steps. The link will direct you to the relevant product section. Then click on a the applicable product. On the product page scroll down to "Downloads", and then select "manuals" from the drop down box.

Manuals	2
Brochures	in and the second
Certificates	Triver and
Datasheet	ule
Enclosure dimension	/
High quality photo	nual

Step 4 - Set up parallel and/or 3 phase inverter/chargers

(skip this step if only a single inverter/charger is used)

If the ESS system contains multiple inverter/chargers, they first will need to be set up to run in parallel and/or 3 phase. For instructions on how to do that see this manual: Parallel, split- and three-phase VE.Bus systems



Step 5 - Update firmware of all Victron EES equipment

Step 6 - Program the inverter/charger(s)

Step 7 - Add ESS assistant to the Inverter/charger(s)

Step 8 -

Step 9 -			
Step 10 -			
Step 11 -			
Step 12 -			
Step 13 -			
Step 14 -			
Step 15 -			
Step 16 -			

From: https://www.victronenergy.com/live/ - Victron Energy

Permanent link: https://www.victronenergy.com/live/ess_quick_instalation_manual?rev=1528252714

Last update: 2018-06-06 04:38

