

# VRM Portal changelog

## 2019-04-12

- New inverter widgets: State, Output voltage and current
- Added support for multiple services in Remote VEConfigure
- Added battery charge voltage to BMS charge and discharge limits widget
- Added phase rotation to VE Bus warnings and alarms widget (if applicable)
- Added high DC ripple to VE Bus warnings and alarms widget (if applicable)
- Improved GPS widgets: added current location, it shows a warning if the data is old, and added a terrain mode switch to the map
- Added generator state widget
- Added generator state to dashboard generator block
- Added battery temperature widget
- Added battery temperature to VE Bus summary widget

## 2019-03-29

- New charger widgets: Output voltage and current, Charger state

## 2019-03-28

- States with the same name now show as one serie in the state widgets

## 2019-03-21

- Two new widgets on the advanced page: Solar Charger PV Voltage and Current, BMS Charge and Discharge limits

## 2019-02-15

- Removed VE.Bus Phase Count from the excel and csv downloads. It doesn't add any value and just takes up space.
- Removed and Log time offset from the excel and csv downloads. It causes many white lines.

## 2019-01-29

- Added Octo GX to add installation screen
- Device list now shows the proper icon for each type of gateway
- Fixed sorting on the installation overview page
- Added battery current to the battery block on the dashboard

**2019-01-26**

- Redesigned installation overview on mobile
- Increase System SOC retention time from 6 months to four years.

**2019-01-21**

- Fix charts not loading on the dashboard in IE
- Fixed a bug that made charts reload on the advanced page while they were zoomed in
- Summary widgets now use the same colors for voltage and current as the graphs on the advanced page

**2018-12-12**

- Added the Economic report for comparing cost scenarios.

**2018-12-10**

- Added navigation to the installation overview when searching for an installation in the menu search bar.

**2018-11-22**

- Added Russian as a language (and improved other translations)
- Added device id to VE.Bus data on the device list page
- You can now add VRM to your home screen on your Android phone (PWA)

**2018-10-26**

- Show more data points on advanced charts when zooming in
- Renamed username to e-mail
- Allow firmware updates for devices without any firmware installed

**2018-10-19**

- Fixed blocked field in the add installation flow on small screens

**2018-10-17**

- Reset zoom on changing the range of the dashboard and advanced graphs

**2018-10-16**

- Added mobile scroll indication for the firmware update devices table

## **2018-09-28**

- Redesigned the Device list page

## **2018-09-27**

- Added tags list to the Dashboard, Advanced and Device list pages

## **2018-09-11**

- Added a button to manually remove a device from the device list

## **2018-09-06**

- Added more data points per pixel on advanced graphs, makes it easier to spot peaks / anomalies
- Fixed an issue where in some cases state widgets were not updating properly
- Improved UX on installation tag page, with autocomplete as well

## **2018-09-05**

- Added tank level widget
- Added first seen date to device list page

## **2018-09-04**

- Added search box to location set screen

## **2018-08-29**

- Removed the control toggle in the Pending invitations table for monitoring users.

## **2018-08-24**

- Fixed issue for VE.Direct LoRaWAN modules: Battery State “charging” was reported as “discharging”.
- Fixed issue for VE.Direct LoRaWAN modules: Battery Time-To-Go was reported in minutes instead of hours.

**2018-08-14**

- Changed and adjusted graphs visual aspects: labels, transitions, z-indexes, etc.
- Synchronised and aligned the graphs from the Advanced page.
- Added a vertical synchronised bar on mouse/touch hover for the time graphs from the Advanced page.

**2018-08-03**

- System overview state of charge line and area moved on top of the columns for better visibility.

**2018-07-27**

- Improved timezone syncing from the CCGX to VRM

**2018-07-16**

- Added 'Reconnect' button to the Remote Console disconnected screen.

**2018-05-23**

- Increased stats API endpoint limits for intervals 15mins and hours. This used to be a maximum date range of 2 days, now it is increased to a maximum of 31 days.
- Updated API docs to explain how to use access tokens

**2018-05-22**

- Textual changes and confirmation modals added for the General Settings.

**2018-05-16**

- Delete account with email input precaution.
- Alarm logs now show in the timezone of the installation

**2018-04-19**

- Added a new column in the admin diagnostics pages: Data attribute code and replaced the Data attribute id column with the Data attribute code in the installation diagnostics page.

**2018-02-27**

- New widget added: Graph - System - PV Yield

**2018-02-13**

- Added battery/bms parameters 'High charge current alarm', 'High discharge current alarm', 'Cell Imbalance alarm', 'Internal error alarm' to the list of parameters being watched over by the Automatic alarm monitor. This fixes alarms like this not being shown in the Alarm log on VRM. Note that these alarms only show for devices that support these types of alarms. In this case that will be (some) lithium batteries such as BYD.

**2017-12-18**

- New widget added: Graph - Solar Charger Loadoutput Current
- Displaying time to go only when necessary and accurate
- Fixed a few Spanish and Portuguese translation terms

**2017-11-13**

- New widget added: System Overview - DC System

**2017-10-19**

- Timezone update using the gateway's timezone or user setting if it is not updated on the device
- Added combined summary and graph widget type and an example for the Temperature Sensor

**2017-10-04**

- Adjusted GPS widget offering logic to show it only when are valid coordinates

**2017-10-03**

- Added icons for Charger and Temperature Sensor in device list
- Show extended gateway information for all Venus OS devices

**2017-09-15**

- Added icons for Grid Meter in device list
- Adjusted the API docs (added system overview command documentation)

**2017-09-12**

- Added instance id to the alarm wizard, so you can see the difference between devices better

**2017-09-07**

- Show stats of uploaded CCGX databases, so you know what happened
- Only show total of PV Inverter Status if there are multiple phases
- Only offer battery history widget if there is a BMV or Lynx shunt available
- Optimized some InfluxDB queries

## **2017-08-03**

- Added LoRaWAN module to add installation screen

## **2017-08-02**

- Added more values to device list for PV inverter and VE.Bus
- Improved share a site model, works better on your phone now

## **2017-07-25**

- Instead of showing N/A on dashboard when a value is not available, we now fallback to other values if possible
- Made some adjustments to the legend of live feed graph, to correctly reflect what is plotted
- Hide the graph selector on the dashboard when only one graph is available

## **2017-07-20**

- Altered the user overview of in installation so it works properly on your mobile phone
- Made adjustments to installation overview, it now better reflects new gateway types and only shows data when it's there
- State widgets, hours of AC calculation and GPS tracks download are now also loaded from Influx, reducing load times
- Added a summary widget for Tanks on the advanced page

## **2017-07-12**

- Changing the installation name is now reflected properly in the menu

## **2017-06-28**

- Improved readability of VRM API docs

## **2017-06-27**

- Fixed a possible issue while saving notes

**2017-06-19**

- Switched backend for graphs to Influx, greatly increasing load speed on advanced page

**2017-06-13**

- Fixed an issue where some share URLs did not work properly

**2017-06-07**

- Fixed an issue with the XLS export and more recent versions Office

**2017-05-31**

- Admins now must approve a new user when he/she adds an installation (first user of an installation can still add the installation directly)

**2017-05-16**

- You can now press and hold buttons on the remote console

**2017-04-21**

- Improved datepicker on advanced page

**2017-04-13**

- Enabled Venus GX on add installation page

**2017-04-06**

- To increase security, installation administrators now must approve new users that added that installation.

**2017-03-31**

- Added Remote on LAN IP to device list

**2017-03-29**

- Made error messages of alarm add wizard more clear

**2017-03-28**

- Dashboard now shows every hour on the x-axis of the graphs

**2017-02-27**

- Added a kWh download option on the advanced screen

**2017-02-15**

- Improved the speed of XLSX data downloads
- Removed the total from the live feed graph, it did not make sense there (it is still there on the consumption and solar graphs)

**2017-02-01**

- Improved the add installation screen: it is now easier to add an installation for different device types
- Make graph tooltips transparent so the underlying graph stays visible

**2017-01-25**

- Better error handling when the backend is unavailable

**2017-01-24**

- Added current month to year overview on dashboard

**2017-01-23**

- Fixed an issue where tooltips of the advanced tab graphs did not respect the installation timezone
- Improvements to registration flow: autologin after e-mail has been verified
- Improvements to reset password flow: autologin after password has been reset and prefill form with e-mailadress

**2017-01-19**

- Zoom state on advanced tab is now reset when a date range is selected that lies outside the zoom state range
- Clicking on an installation name in the menu now directly leads to the installation dashboard, saves you a click when switching installations



**2017-01-18**

- Fixed an issue where the tags API endpoint could return an empty document

**2017-01-13**

- Added an option to disable the alarm rate limiter if it is active for your installation

**2017-01-12**

- Added an option to replace a broken CCGX with a new one. While keeping the old history.

**2017-01-11**

- Fixed an issue on Samsung Mobile devices that could cause the menu to disappear

**2017-01-10**

- Fixed an issue that caused some installations to disappear from Victron World
- Fixed an issue where the current date was unselectable on the advanced tab
- Improved the scaling of battery voltage graphs
- Fix photo size on user uploaded photos
- Added totals to the tooltips of the graphs on the dashboard page
- Only show 'no data found' if we are not loading
- Allow up to 64MB downloads for CCGX data files. Since these can also be zipped, 64MB is really lots of data (more than a year in most cases)

**2017-01-09**

- Fix some validation errors while creating an alarm through the wizard

**2017-01-06**

- Added an option to subscribe to the VRM newsletter on the landingpage

**2017-01-04**

- Fixed an issue where wrong translations could lead to KEY\_NOT\_FOUND errors
- Increased the speed of the advanced tab by smarter loading of the graphs

**2017-01-03**

- Use last timestamp as Last connection info on top of advanced tab

- Fix bug in alarm hysteresis validation

## **2017-12-23**

- Fixed the Victron World link on the frontpage

## **2016-12-22**

- Added genset data to AC source column on installation overview
- Added multi phase support VE.BUS Warnings and alarms widget
- Added last hour option to advanced tab date dropdown (with auto data reload every minute)
- Fixed an issue that resulted in an error (Failed to process file) while uploading a CCGX file

## **2016-12-20**

- Added ability to upload CCGX files in ZIP and GZIP format

## **2016-12-19 - Complete new version of the VRM Portal**

<https://www.victronenergy.com/blog/2016/12/19/new-vrm-portal/>

## **2016 Nov. - New VRM API**

The Juice API will be phased out in the coming time; there is no date yet.

The new API documentation is available here: <https://vrmapi.victronenergy.com/v2/docs>

## **2016-09-09**

- Added “Solar Charger Voltage and Current” graph to the advanced tab.

## **2016-06-07**

- Added row indicating unit to the CSV- and Excel data downloads.

## **2016-06-06**

- Updated Spanish translations.
- Added “VE.Bus” prefix to “State” and “DC Voltage and Current” advanced tab items.

**2016-06-03**

- Renamed two items on the advanced tab:
  - “Warnings and Alarms” to “VE.Bus Warnings and Alarms”
  - “Historic data” to “Battery history”
- Added production history data to the battery history block.

**2016-05-11**

- The AC Input and Output Frequency graphs now show horizontal grid lines every 10 Hz, for easy reference to the most common standard frequencies.

**2016-04-12**

- The *Upload CCGX file* now accepts data files with data older than 6 months.

**2016-03-31**

- Fixed an issue where on the last day (31) of the month, on the Solar Yield and Consumption tab, clicking the last month button would not display the data of the last month.

**2016-03-11**

- Remedied an issue where some graphs showed gaps in the data where no actual gaps in logging occurred.

**2016-03-07**

- Site admins now have the possibility to permanently remove a site plus all its data.

**2016-02-01**

- The time range selected in the advanced tab is now persistent, so your preferred time range will stay selected across page reloads and even between different sites.

**2016-01-15**

- There is a new link on the top menu, *Upload CCGX file*. Use it to upload .sqlite files which are stored by the CCGX on a SDcard or USB stick. This fixes the issue where, even when configured to log to SDcard or USB-stick, it was necessary to first, only once, connect the CCGX to the internet. With the new change, you'll be able to add the site to your account a few minutes after uploading your data file. More information in the [CCGX manual, chapter 2.2.2](#).

**2015-12-08**

- Alarms settings now allow for decimal and negative values.

**2015-12-04**

- Implemented a new login feature for use with the VRM app.

**2015-12-02**

- A lot of changes were implemented over the past few months to support the new Remote Console functionality, released with CCGX v1.30.

**2015-11-30**

- Increased the number of data points we load for all graphs, eliminating averaging of values in the graphs when viewing 24 hours of data.

**2015-11-17**

- Updated the Danish translations.

**2015-10-30**

- Significant performance improvement to data export; initial testing shows downloading a CSV file now takes up to ten times less time.
- Fixed issues with the total line summing in graphs with overlapping gaps.

**2015-10-26**

- Also added the cumulative total line to the PV Inverter Yield graph.
- Added a correction for the correct display of times in a graph which contain a change of time zone (due to DST).

**2015-10-23**

- Added a cumulative total line to graphs which contain summable data, which can be toggled using the label in the header of the graph.
- Changed the layout of the PV Inverter widget to improve readability.
- Fixed an issue with the VE.Bus State graph displaying non-existing data points when a gap in the data logging was detected.
- Show absolute times instead of relative times when the last update is more than six hours ago.

**2015-10-20**

- Optimization in retrieval of yearly data for the solar yield and consumption graphs, reduced loading time from about 25 seconds to near zero.

**2015-10-19**

- Added initial support for the upcoming “Remote Console” functionality for CCGX-owners.

**2015-10-12**

- When available, connection identifiers (or instance numbers) are shown on the alarm log

**2015-09-22**

- Combined SOC and the TTG on the Battery status widget on the advanced tab: it fits in one widget so no longer scrolls
- Entering Company name is no longer required for new users during registration
- Remember filled out email on opening forgot password form

**2015-09-11**

- Fixed zooming out on any graph, not just the graph that the zoom was performed on.
- Only zoom on the X-axis, making sure data is always in view on other graphs.
- Only show one phase for frequency since they're all the same.
- Fixed “today” button misbehaving when the page was open overnight.

**2015-09-08**

- Instead of having data for each phase on a separate tab, have it all together in one tab. Click the phase on the top to show/hide each phase. Adding a cumulative total as a stacked graph is also on the todo list.

**2015-09-03**

- Automatically determine the best number of x-axis ticks for the graphs. This fixes the weird looking times on the bottom of the graphs.

**DISQUS**

~~DISQUS~~

From:

<https://www.victronenergy.com/live/> - **Victron Energy**

Permanent link:

[https://www.victronenergy.com/live/vrn\\_portal:change\\_log?rev=1555081038](https://www.victronenergy.com/live/vrn_portal:change_log?rev=1555081038)

Last update: **2019-04-12 16:57**

