



Pricelist 2026

Q3 AUD C





2026-Q3

New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only


AUD C

INVERTERS

Ex GST



Inverter 12/375 VE.Direct



IEC Schuko



230V Sinewave

		H x W x D	✓	CE	VE.Bus	kg	
Inverter 12/250 VE.Direct Schuko*	PIN121251200	86 x 165 x 260	✓			2.4	\$ 149
Inverter 12/375 VE.Direct Schuko*	PIN121371200	86 x 165 x 260	✓			3.0	\$ 192
Inverter 12/500 VE.Direct Schuko*	PIN121501200	86 x 172 x 275	✓			3.9	\$ 241
Inverter 12/800 VE.Direct Schuko*	PIN121801200	105 x 216 x 305	✓			5.5	\$ 391
Inverter 12/1200 VE.Direct Schuko*	PIN122121210	117 x 232 x 362	✓			7.4	\$ 459
Inverter 12/1600 VE.Direct Schuko*	PIN122161200	117 x 231 x 395	✓			7.4	\$ 536
Inverter 24/250 VE.Direct Schuko*	PIN241251200	86 x 165 x 260	✓			2.4	\$ 166
Inverter 24/375 VE.Direct Schuko*	PIN241371200	86 x 165 x 260	✓			3.0	\$ 214
Inverter 24/500 VE.Direct Schuko*	PIN241501200	86 x 172 x 275	✓			3.9	\$ 267
Inverter 24/800 VE.Direct Schuko*	PIN241801200	105 x 216 x 305	✓			5.5	\$ 434
Inverter 24/1200 VE.Direct Schuko*	PIN242121200	117 x 232 x 327	✓			7.4	\$ 490
Inverter 24/1600 VE.Direct Schuko*	PIN242161200	117 x 231 x 395	✓	★		9.0	August \$ 574
Inverter C 12/1200	CIN122120000	375 x 214 x 110	✓		✓	10	\$ 672
Inverter C 12/1600	CIN122160000	375 x 214 x 110	✓		✓	10	\$ 945
Inverter 12/1600 Smart	PIN122161000	485 x 219 x 125	✓			12	\$ 922
Inverter C 12/2000	CIN122200000	520 x 255 x 125	✓		✓	13	\$ 1,085
Inverter 12/2000 Smart	PIN122201000	485 x 219 x 125	✓			13	\$ 991
Inverter 12/2k5 Smart	PIN122251000	509 x 219 x 125	✓	★		14	September \$ 1,045
Inverter 12/3000	PIN123020000	362 x 258 x 218	✓		✓	18	\$ 1,638
Inverter 12/3000 Smart	PIN122300000	533 x 285 x 150	✓			18	\$ 1,406
Inverter C 24/1600	CIN242160000	375 x 214 x 110	✓		✓	10	\$ 945
Inverter 24/1600 Smart	PIN242161000	485 x 219 x 125	✓			12	\$ 922
Inverter C 24/2000	CIN242200000	520 x 255 x 125	✓		✓	13	\$ 1,142
Inverter 24/2000 Smart	PIN242201000	485 x 219 x 125	✓			13	\$ 1,100
Inverter 24/3000	PIN243020000	362 x 258 x 218	✓		✓	18	\$ 1,638
Inverter 24/3000 Smart	PIN242300000	485 x 285 x 150	✓			19	\$ 1,480
Inverter 24/5000	PIN245020000	444 x 328 x 240	✓		✓	28	\$ 2,857
Inverter 24/5000 Smart	PIN242501000	595 x 295 x 160	✓			29	\$ 2,587
Inverter 48/250 VE.Direct Schuko*	PIN481251200	86 x 165 x 260	✓			2.4	\$ 166
Inverter 48/375 VE.Direct Schuko*	PIN481371200	86 x 165 x 260	✓			3.0	\$ 214
Inverter 48/500 VE.Direct Schuko*	PIN481501200	86 x 172 x 275	✓			3.9	\$ 267
Inverter 48/800 VE.Direct Schuko*	PIN481801200	105 x 216 x 305	✓			5.8	\$ 434
Inverter 48/1200 VE.Direct Schuko*	PIN482121200	117 x 232 x 327	✓			7.4	\$ 490
Inverter 48/1600 VE.Direct Schuko*	PIN482161200	117 x 231 x 395	✓	★		9.0	September \$ 574
Inverter 48/2000 Smart	PIN482201000	485 x 219 x 125	✓			13	\$ 802
Inverter 48/3000	PIN483020000	362 x 258 x 218	✓		✓	18	\$ 1,039
Inverter 48/3000 Smart	PIN482300000	485 x 285 x 150	✓			19	\$ 1,025
Inverter 48/5000	PIN485020000	444 x 328 x 240	✓		✓	28	\$ 1,542
Inverter 48/5000 Smart	PIN482500000	555 x 295 x 160	✓			28	\$ 1,536
Inverter RS 48/6000 Smart	PIN482600000	425 x 440 x 125	✓			10	\$ 1,981








INVERTERS WITH SOLAR CHARGE CONTROLLER



Inverter RS 48/6000 230V Smart Solar

Sun Inverter 12/250-15 IEC	SIN121251100	86 x 165 x 260	✓		✓	2.7	\$ 184
Sun Inverter 24/250-10 IEC	SIN241251100	86 x 165 x 260	✓		✓	2.7	\$ 184
Inverter RS 48/6000 Smart Solar	PIN482601000	425 x 440 x 125	✓			11	\$ 2,746

* All 12V, 24V and 48V inverters with Schuko outlet are also available with the following outlets:
IEC (male plug included), UK, AU/NZ (see appendix for article numbers)










INVERTER/CHARGERS				H x W x D (mm)		kg	Ex GST
230V Sinewave			☑	VE.BUS			
	MultiPlus 12/500/20-16	PMP121500000	✓	✓	311 x 182 x 100	4.4	\$ 529
	MultiPlus 12/800/35-16	PMP121800000	✓	✓	360 x 240 x 100	6.4	\$ 682
	MultiPlus 12/1200/50-16	PMP122120000	✓	✓	406 x 250 x 100	8.2	\$ 835
	MultiPlus 12/1600/70-16	PMP122160000	✓	✓	465 x 270 x 120	10	\$ 965
	MultiPlus 12/2000/80-32	PMP122200000	✓	✓	506 x 234 x 146	15	\$ 1,505
	MultiPlus C 12/800/35-16	CMP121800000	✓	✓	375 x 214 x 110	10	\$ 851
	MultiPlus C 12/1200/50-16	CMP122120000	✓	✓	375 x 214 x 110	10	\$ 1,144
	MultiPlus C 12/1600/70-16	CMP122160000	✓	✓	375 x 214 x 110	10	\$ 1,282
	MultiPlus C 12/2000/80-30	CMP122200000	✓	✓	520 x 255 x 125	13	\$ 1,564
	MultiPlus 12/3000/120-16	PMP122300000	✓	✓	362 x 258 x 218	18	\$ 2,035
MultiPlus 12/3000/120-50	PMP123021010	✓	✓	362 x 258 x 218	18	\$ 2,196	
MultiPlus-II 12/3000/120-32	PMP122305010	✓	✓	546 x 275 x 147	19	\$ 1,889	
MultiPlus-II 12/4k/160-32	PMP122405010	✓	✓	595 x 275 x 160	23	\$ 2,204	
MultiPlus-II 12/5000/220-50	PMP122505012	✓	✓	702 x 345 x 152	30	\$ 3,008	
	Quattro 12/3000/120-50/50	QUA123020010	✓	✓	362 x 258 x 218	19	\$ 2,801
	Quattro 12/5000/220-100/100	QUA125020000	✓	✓	470 x 350 x 280	34	\$ 4,133
	MultiPlus 24/500/10-16	PMP241500000	✓	✓	311 x 182 x 100	4.4	\$ 529
	MultiPlus 24/800/16-16	PMP241800000	✓	✓	360 x 240 x 100	6.4	\$ 682
	MultiPlus 24/1200/25-16	PMP242120000	✓	✓	406 x 250 x 100	8.2	\$ 835
	MultiPlus 24/1600/40-16	PMP242160000	✓	✓	465 x 270 x 120	10	\$ 1,073
	MultiPlus 24/2000/50-32	PMP242200000	✓	✓	506 x 234 x 146	15	\$ 1,404
	MultiPlus C 24/1600/40-16	CMP242160000	✓	✓	375 x 214 x 110	10	\$ 1,218
	MultiPlus C 24/2000/50-30	CMP242200000	✓	✓	520 x 255 x 125	13	\$ 1,560
	MultiPlus 24/3000/70-16	PMP242300001	✓	✓	362 x 258 x 218	18	\$ 1,928
	MultiPlus 24/3000/70-50	PMP242301011	✓	✓	362 x 258 x 218	18	\$ 2,081
	MultiPlus-II 24/3000/70-32	PMP242305010	✓	✓	499 x 268 x 141	19	\$ 1,436
MultiPlus-II 24/3000/70-32 GX	PMP242306000	✓	✓	499 x 268 x 141	20	\$ 1,558	
MultiPlus 24/5000/120-100	PMP245021010	✓	✓	444 x 328 x 240	30	\$ 2,898	
MultiPlus-II 24/5000/120-50	PMP242505010	✓	✓	607 x 330 x 149	30	\$ 2,700	
	Quattro 24/3000/70-50/50	QUA243020010	✓	✓	362 x 258 x 218	19	\$ 2,412
	Quattro 24/5000/120-100/100	QUA245021010	✓	✓	444 x 328 x 240	30	\$ 3,305
	Quattro-II 24/5000/120-50/50	QUA242505010	✓	✓	607 x 330 x 149	31	\$ 2,925
	Quattro 24/8000/200-100/100	QUA248020010	✓	✓	470 x 350 x 280	41	\$ 4,171
	MultiPlus 48/500/6-16	PMP481500000	✓	✓	311 x 182 x 100	4.4	\$ 443
	MultiPlus 48/800/9-16	PMP481800000	✓	✓	360 x 240 x 100	6.4	\$ 522
	MultiPlus 48/1200/13-16	PMP482120000	✓	✓	406 x 250 x 100	8.2	\$ 729
	MultiPlus 48/1600/20-16	PMP482160000	✓	✓	465 x 270 x 120	10	\$ 827
	MultiPlus 48/2000/25-32	PMP482200000	✓	✓	506 x 234 x 146	15	\$ 923
	MultiPlus 48/3000/35-16	PMP483020001	✓	✓	362 x 258 x 218	18	\$ 1,406
	MultiPlus 48/3000/35-50	PMP483021010	✓	✓	362 x 258 x 218	18	\$ 1,468
	MultiPlus-II 48/3000/35-32	PMP482305010	✓	✓	499 x 268 x 141	19	\$ 1,003
	MultiPlus-II 48/3000/35-32 GX	PMP482306000	✓	✓	499 x 268 x 141	20	\$ 1,143
	MultiPlus-II 48/4k/55-32	PMP482405012	✓	✓	590 x 275 x 149	19	\$ 1,235
	MultiPlus-II 48/4k/55-32 GX	PMP482406000	✓	✓	590 x 275 x 149	21	\$ 1,454
	MultiPlus-II 48/5000/70-50	PMP482505012	✓	✓	565 x 320 x 149	30	\$ 1,356
	MultiPlus-II 48/5000/70-50-GX	PMP482506000	✓	✓	565 x 320 x 149	31	\$ 1,672
	MultiPlus-II 48/6k/5/100-50	PMP482605012	✓	✓	644 x 320 x 150	30	\$ 1,570
	MultiPlus-II 48/6k/5/100-50 GX	PMP482606000	✓	✓	644 x 320 x 150	29	\$ 1,867
MultiPlus 48/5000/70-100	PMP485021010	✓	✓	444 x 328 x 240	30	\$ 1,991	
Multi RS 48/6000/100-50 230V	PMR482604000	✓	★	462 x 425 x 127	11	July \$ 2,372	
Multi RS Solar 48/6000/100-450/100	PMR482602020	✓	✓	425 x 440 x 125	12	\$ 2,627	
Multi RS19 Solar 48/6000/100-450/100	PMR482602030	✓	★	430 x 483 x 133	12	July \$ 2,919	
MultiPlus-II 48/8000/110-100	PMP482805000	✓	✓	642 x 363 x 206	42	\$ 2,492	
MultiPlus-II 48/10000/140-100	PMP483105000	✓	✓	677 x 363 x 206	49	\$ 2,976	
MultiPlus-II 48/15000/200-100	PMP483150000	✓	✓	810 x 404 x 210	75	\$ 4,153	
	Multi HS19 Solar 15k	PMR803150300	✓	★	178 x 483 x 710	27	July \$ 8,033
	Quattro 48/5000/70-100/100	QUA485021010	✓	✓	444 x 328 x 240	29	\$ 2,834
	Quattro-II 48/5000/70-50/50	QUA482504010	✓	✓	565 x 320 x 149	31	\$ 1,913
	Quattro 48/8000/110-100/100	QUA488024000	✓	✓	470 x 350 x 280	41	\$ 3,207
	Quattro 48/10000/140-100/100	QUA481030010	✓	✓	470 x 350 x 280	45	\$ 3,832
	Quattro 48/15000/200-100/100	QUA483150000	✓	✓	572 x 488 x 344	72	\$ 5,034
MultiPlus 48/20k/250-100	PMC483200400	✓	✓	572 x 488 x 344	70	\$ 4,896	
EasyPlus C 12/1600/70-16	CEP122160000	✓	✓	510 x 214 x 110	11	\$ 1,400	
INVERTER/CHARGERS OPTIMISED FOR SELF CONSUMPTION / HOME STORAGE							
	EasySolar 12/1600/70-16 MPPT 100/50	CEP122161000	✓	✓	745 x 214 x 110	12	\$ 1,831
	EasySolar 24/1600/40-16 MPPT 100/50	CEP242161010	✓	✓	745 x 214 x 110	12	\$ 1,831
	EasySolar-II 24/3000/70-32 MPPT 250/70 GX	PMP242307010	✓	✓	499 x 268 x 237	26	\$ 2,054
	EasySolar-II 48/3000/35-32 MPPT 250/70 GX	PMP482307010	✓	✓	499 x 268 x 237	26	\$ 2,054
	EasySolar-II 48/4k/55/55-32 MPPT 250/70 GX	PMP482457010	✓	★	591 x 275 x 254	29	\$ 2,142
	EasySolar-II 48/5000/70-50 MPPT 250/100 GX	PMP482507010	✓	✓	604 x 323 x 253	39	\$ 2,896
EasySolar-II 48/6k/5/100-32 MPPT 250/100 GX	PMP482657010	✓	★	670 x 320 x 270	40	August \$ 2,907	
EasySolar-II GX	VE.Bus Smart dongle	ASS030537010	✓	✓			\$ 161















2026-Q3


New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only

AUD C

INVERTERS 120V			H x W x D	€	VE.Bus	kg	Ex GST
 <p>Inverter 12/375 VE.Direct</p>	Inverter 12/250 VE.Direct NEMA 5-15R	PIN122510500	86 x 165 x 260	✓	✓	2.4	\$ 149
	Inverter 12/375 VE.Direct NEMA 5-15R	PIN123750500	86 x 165 x 260	✓	✓	3.0	\$ 182
	Inverter 12/500 VE.Direct NEMA 5-15R	PIN125010500	86 x 172 x 275	✓	✓	3.9	\$ 228
	Inverter 12/800 VE.Direct NEMA 5-15R	PIN121800500	105 x 216 x 305	✓	✓	5.5	\$ 370
	Inverter 12/1200 VE.Direct NEMA 5-15R	PIN122122500	117 x 232 x 362	✓	✓	8.5	\$ 458
	Inverter 12/1600 VE.Direct NEMA 5-15R	PIN122161500	117 x 231 x 395	✓	✓	9.0	\$ 536
 <p>NEMA 5-15R</p>	Inverter 12/250 VE.Direct NEMA GFCI (UL 458)	PIN122510510	86 x 165 x 260	✓	✓	2.4	\$ 162
	Inverter 12/375 VE.Direct NEMA GFCI (UL 458)	PIN123750510	86 x 165 x 260	✓	✓	3.0	\$ 197
	Inverter 12/500 VE.Direct NEMA GFCI (UL 458)	PIN125010510	86 x 172 x 275	✓	✓	3.9	\$ 246
	Inverter 12/800 VE.Direct NEMA GFCI (UL 458)	PIN121800510	105 x 216 x 305	✓	✓	5.5	\$ 402
	Inverter 12/1200 VE.Direct NEMA GFCI (UL 458)	PIN122122510	117 x 232 x 362	✓	✓	8.5	\$ 470
	Inverter 12/1600 VE.Direct NEMA GFCI (UL 458)	PIN122161510	117 x 231 x 395	✓★	✓	9.0	July \$ 551
 <p>NEMA GFCI</p>	Inverter 24/250 VE.Direct NEMA 5-15R	PIN242510500	86 x 165 x 260	✓	✓	2.4	\$ 157
	Inverter 24/375 VE.Direct NEMA 5-15R	PIN241370500	86 x 165 x 260	✓	✓	3.0	\$ 192
	Inverter 24/500 VE.Direct NEMA 5-15R	PIN245010500	86 x 172 x 275	✓	✓	3.9	\$ 241
	Inverter 24/800 VE.Direct NEMA 5-15R	PIN241800500	105 x 216 x 305	✓	✓	5.5	\$ 351
	Inverter 24/1200 VE.Direct NEMA 5-15R	PIN242122500	117 x 232 x 327	✓	✓	7.4	\$ 517
	Inverter 24/1600 VE.Direct NEMA 5-15R	PIN242161500	117 x 232 x 327	✓	✓	8.0	\$ 573
 <p>Inverter 24/3000</p>	Inverter 24/250 VE.Direct NEMA GFCI (UL 458)	PIN242510510	86 x 165 x 260	✓	✓	2.4	\$ 162
	Inverter 24/500 VE.Direct NEMA GFCI (UL 458)	PIN245010510	86 x 172 x 275	✓	✓	3.9	\$ 246
	Inverter 24/800 VE.Direct NEMA GFCI (UL 458)	PIN241800510	105 x 216 x 305	✓	✓	5.5	\$ 341
	Inverter 24/1200 VE.Direct NEMA GFCI (UL 458)	PIN242122510	117 x 232 x 327	✓	✓	7.4	\$ 536
	Inverter 24/1600 VE.Direct NEMA GFCI (UL 458)	PIN242161510	117 x 232 x 327	✓★	✓	8.0	July \$ 565
	Inverter 48/250 VE.Direct NEMA 5-15R	PIN482510500	86 x 165 x 260	✓	✓	2.4	\$ 166
 <p>Inverter 48/1200 VE.Direct NEMA GFCI (UL 458)</p>	Inverter 48/375 VE.Direct NEMA 5-15R	PIN483750500	86 x 165 x 260	✓	✓	3.0	\$ 202
	Inverter 48/500 VE.Direct NEMA 5-15R	PIN485010500	86 x 172 x 275	✓	✓	3.9	\$ 241
	Inverter 48/800 VE.Direct NEMA 5-15R	PIN481800500	105 x 216 x 305	✓	✓	5.5	\$ 411
	Inverter 48/1200 VE.Direct NEMA 5-15R	PIN482122520	117 x 232 x 327	✓	✓	7.4	\$ 517
	Inverter 48/1600 VE.Direct NEMA 5-15R	PIN482161500	117 x 231 x 365	✓	✓	9.0	\$ 573
	Inverter 48/1200 VE.Direct NEMA GFCI (UL 458)	PIN482122510	117 x 232 x 327	✓	✓	7.4	\$ 536
 <p>Inverter 24/3000</p>	Inverter 48/1600 VE.Direct NEMA GFCI (UL 458)	PIN482161510	117 x 232 x 327	✓★	✓	8.0	July \$ 565
	Inverter 12/3000	PIN123020100	362 x 258 x 218	✓	✓	18	\$ 1,697
	Inverter 24/3000	PIN243020100	362 x 258 x 218	✓	✓	18	\$ 1,697
INVERTER/CHARGERS 120V							
 <p>MultiPlus-II 2x120V</p>	MultiPlus 12/500/20-16 120V VE.Bus	PMP121500100	311 x 182 x 100	✓	✓	4.4	\$ 454
	MultiPlus 12/800/35-16	PMP121800100	360 x 240 x 100	✓	✓	6.5	\$ 585
	MultiPlus 12/1200/50-16 120V VE.Bus	PMP122120100	406 x 250 x 100	✓	✓	8.2	\$ 716
	MultiPlus C 12/2000/80-50 120V (UL 458)	CMP122200102	520 x 255 x 125	✓	✓	13	\$ 1,550
	MultiPlus 12/2000/80-50 120V (UL 458)	PMP122200102	506 x 234 x 147	✓	✓	15	\$ 1,478
	MultiPlus 12/3000/120-50 120V VE.Bus	PMP123021102	362 x 258 x 218	✓	✓	18	\$ 1,721
	MultiPlus 12/3000/120-50 120V (UL 1741 and 458)	PMP122301102	362 x 258 x 218	✓	✓	18	\$ 2,003
	MultiPlus-II 12/3000/120-50 120V	PMP122305120	578 x 277 x 148	✓	✓	19	\$ 1,454
	MultiPlus-II 12/3000/120-50 120V 50/60Hz (UL 458)	PMP122305122	578 x 277 x 148	✓	✓	19	\$ 1,558
	MultiPlus-II 12/3000/120-50 2x120V	PMP122305100	578 x 277 x 148	✓	✓	22	\$ 1,599
	MultiPlus-II 12/3000/120-50 2x120V 50/60Hz (UL 458)	PMP122305102	578 x 277 x 148	✓	✓	22	\$ 1,684
	MultiPlus-II 12/4k/160-50 120V	PMP122405100	639 x 277 x 164	✓★	✓	22	July \$ 1,836
 <p>Quattro</p>	MultiPlus-II 12/4k/160-50 120V 50/60Hz	PMP122405110	639 x 277 x 164	✓★	✓	22	September \$ 1,989
	MultiPlus-II 12/4k/160-50 2x120V	PMP122405200	659 x 277 x 166	✓★	✓	25	July \$ 1,989
	MultiPlus-II 12/4k/160-50 2x120V 50/60Hz	PMP122405210	659 x 277 x 166	✓★	✓	25	September \$ 2,142
	Quattro-II 12/3000/120-50/50 2x120V	QUA122305130	579 x 319 x 168	✓	✓	24	\$ 2,024
	Quattro 12/5000/220-100/100 120V	QUA125021100	470 x 350 x 280	✓	✓	34	\$ 4,166
	Quattro 12/5000/220-100/100 120V (UL 458)	QUA125021102	470 x 350 x 280	✓	✓	36	\$ 4,617
	MultiPlus C 24/2000/50-50 120V	CMP242200100	520 x 255 x 125	✓	✓	13	\$ 1,325
	MultiPlus 24/2000/50-50 120V (UL 458)	PMP242200102	506 x 234 x 147	✓	✓	15	\$ 1,347
	MultiPlus 24/3000/70-50 120V	PMP243021102	362 x 258 x 218	✓	✓	18	\$ 1,903
	MultiPlus 24/3000/70-50 120V (UL 1741 and 458)	PMP242301102	362 x 258 x 218	✓	✓	18	\$ 2,032
	MultiPlus-II 24/3000/70-50 120V	PMP242305100	536 x 277 x 147	✓	✓	19	\$ 1,530
	MultiPlus-II 24/3000/70-50 120V 50/60Hz (UL 485)	PMP242305102	536 x 277 x 147	✓	✓	19	\$ 1,709
MultiPlus-II 24/3000/70-50 2x120V 50/60Hz (UL 458)	PMP242305132	536 x 277 x 147	✓	✓	19	\$ 1,964	
MultiPlus-II 24/5000/120-95 120V	PMP242505110	444 x 328 x 240	✓	✓	32	\$ 2,779	
 <p>Quattro</p>	Quattro-II 24/3000/70-50/50 2x120V	QUA242305130	579 x 319 x 168	✓	✓	23	\$ 1,923
	Quattro 24/5000/120-100/100 120V	QUA245023110	444 x 328 x 240	✓	✓	30	\$ 3,300
	Quattro 24/5000/120-100/100 120V (UL458)	QUA24503112	444 x 328 x 240	✓★	✓	30	August \$ 3,666
	MultiPlus 48/2000/25-50 120V	PMP482200100	506 x 234 x 147	✓	✓	15	\$ 1,525
	MultiPlus-II 48/3000/35-50 120V	PMP482305100	536 x 277 x 147	✓	✓	20	\$ 1,526
	MultiPlus-II 48/3000/35-50 120V 50/60Hz (UL 1741)	PMP482305102	572 x 277 x 147	✓	✓	19	\$ 1,632
	MultiPlus-II 48/5000/70-95 120V	PMP482505110	676 x 330 x 164	✓	✓	32	\$ 2,037
	MultiPlus-II 48/5000/70-95 120V (UL 1741)	PMP482505120	676 x 330 x 164	✓	✓	32	\$ 2,263
	MultiPlus-II 48/5000/70-95 120V 50/60Hz	PMP482505300	676 x 330 x 164	✓	✓	32	\$ 2,501
	Quattro 48/3000/35-50/50 120V	QUA483021100	362 x 258 x 218	✓	✓	18	\$ 2,042
	Quattro 48/5000/70-100/100 120V	QUA485021100	444 x 328 x 240	✓	✓	30	\$ 2,360
	Quattro 48/5000/70-100/100 120V (UL 1741)	QUA482501102	444 x 328 x 240	✓	✓	30	\$ 2,624
Quattro 48/10000/140-100/100 120V	QUA483100100	572 x 488 x 344	✓	✓	58	\$ 3,820	
Quattro 48/10000/140-100/100 120V (UL 1741)	QUA483100102	572 x 488 x 344	✓	✓	58	\$ 4,067	
Quattro 48/10000/140-100/100 120V VE.Bus 50/60Hz	QUA483100300	572 x 488 x 344	✓	✓	58	\$ 4,743	
Quattro 48/15000/200-100/100 277V	QUA483150100	572 x 488 x 344	✓	✓	72	\$ 5,033	
VE.Bus Smart dongle	ASS030537010			✓			\$ 161

BLUE SMART BATTERY CHARGERS IP65 230V				Ex GST				
180-265VAC/45-65Hz or 250-350VDC		IP65	H x W x D	€	kg			
1 output, natural convection cooling. With CEE 7/17 Plug (Schuko unearthed), CEE 7/16 Europlug, BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ) (includes DC connector with clamps and M8 eyelets)								
	Blue Smart IP65 Charger 6V/12V-1.1 + DC connector	BPC120134034R	38 x 64 x 153	✓	0.4	\$ 91		
	Blue Smart IP65s Charger 12/4 + DC connector	BPC120433064R	45 x 81 x 182	✓	0.6	\$ 131		
	Blue Smart IP65s Charger 12/5 + DC connector	BPC120533064R	45 x 81 x 182	✓	0.6	\$ 145		
	Blue Smart IP65 Charger 12/7 + DC connector	BPC120731064R	47 x 95 x 190	✓	0.8	\$ 172		
	Blue Smart IP65 Charger 12/10 + DC connector	BPC121031064R	60 x 105 x 190	✓	0.9	\$ 203		
	Blue Smart IP65 Charger 12/15 + DC connector	BPC121531064R	60 x 105 x 190	✓	0.9	\$ 212		
	Blue Smart IP65 Charger 12/25 + DC connector	BPC122531064	75 x 140 x 240	✓	1.9	\$ 297		
	Blue Smart IP65 Charger 24/5 + DC connector	BPC240531064R	47 x 95 x 190	✓	0.8	\$ 172		
	Blue Smart IP65 Charger 24/8 + DC connector	BPC240831064R	60 x 105 x 190	✓	0.9	\$ 212		
	Blue Smart IP65 Charger 24/13 + DC connector	BPC241331064	75 x 140 x 240	✓	1.9	\$ 297		
	Accessories for the Blue Smart IP65 Chargers							
		M6 eyelet connector (with 30A ATO fuse)	BPC900100014		✓		\$ 13	
		M8 eyelet connector (with 30A ATO fuse)	BPC900110014		✓		\$ 13	
		MagCode Power Clip 12V (max. 15A)	BPC900500014		✓		\$ 68	
MagCode Power Port 12V (max. 15A)		BPC900520014		✓		\$ 68		
2 meter extension cable (max 20A)		BPC900200014		✓		\$ 16		
2 meter extension cable (max 25A)		BPC900250014		✓		\$ 28		
12 Volt plug (cigarette plug with 16A fuse)		BPC900300014		✓		\$ 22		
Clamp connector (with 30A ATO fuse)		BPC900400014		✓		\$ 20		
Battery Indicator Panel (M8 eyelet / 30A ATO fuse)		BPC900110114		✓		\$ 36		
Battery Indicator Eyelet (M8 eyelet / 30A ATO fuse)		BPC900120114		✓		\$ 22		
Rubber bumper for IP65 Charger 12/10, 12/15, 24/8		BPC920100100		✓		\$ 12		
Rubber bumper for IP65 Charger 12/25, 24/13		BPC920100110		✓		\$ 17		
Wall mount for IP65 Charger 12/10, 12/15, 24/8		BPC920100200		✓		\$ 9		
Wall Mount for IP65 Charger 12/25, 24/13		BPC920100210		✓		\$ 15		
Carry case for IP65 Charger & accessories	BPC940100100	295 x 350 x 105	✓		\$ 47			
Carry case for IP65 Ch. 12/25, 24/13 & accessories	BPC940100200	345 x 520 x 130	✓		\$ 70			
								
Eyelet connector	2 meter extension cable	12 Volt cigarette plug	Clamp connector	Battery Indicator Panel	Battery Indicator Eyelet	Rubber bumper	Wall mount	Carry case

BATTERY CHARGERS IP22 230V						
180-265VAC/45-65Hz or 250-350VDC		IP22				
1 output or 3 outputs, fan assisted cooling. With CEE 7/7 Plug (Schuko), BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ). VE.Smart Network enabled						
	Blue Smart IP22 Charger 12/15 (1)	BPC121542002	235 x 108 x 65	✓	1.4	\$ 218
	Blue Smart IP22 Charger 12/15 (3)	BPC121544002	235 x 108 x 65	✓	1.4	\$ 226
	Blue Smart IP22 Charger 12/20 (1)	BPC122042002	235 x 108 x 65	✓	1.4	\$ 235
	Blue Smart IP22 Charger 12/20 (3)	BPC122044002	235 x 108 x 65	✓	1.4	\$ 265
	Blue Smart IP22 Charger 12/30 (1)	BPC123047002	235 x 108 x 65	✓	1.4	\$ 282
	Blue Smart IP22 Charger 12/30 (3)	BPC123048002	235 x 108 x 65	✓	1.4	\$ 302
	Blue Smart IP22 Charger 24/8 (1)	BPC240842002	235 x 108 x 65	✓	1.4	\$ 218
	Blue Smart IP22 Charger 24/12 (1)	BPC241242002	235 x 108 x 65	✓	1.4	\$ 242
	Blue Smart IP22 Charger 24/16 (1)	BPC241647002	235 x 108 x 65	✓	1.4	\$ 275
	Blue Smart IP22 Charger 24/16 (3)	BPC241648002	235 x 108 x 65	✓	1.4	\$ 311

BATTERY CHARGERS IP67 230V						
180-265VAC/45-65Hz or 250-350VDC		IP67				
1 output, natural convection cooling. With CEE 7/7 Plug (Schuko), BS 1363 plug (UK) or AS/NZS 3112 plug (AU/NZ)						
	Blue Smart IP67 Charger 12/7 (1)	BPC120713006	85 x 211 x 60	✓	1.8	\$ 161
	Blue Smart IP67 Charger 12/13 (1)	BPC121313006	85 x 211 x 60	✓	1.8	\$ 214
	Blue Smart IP67 Charger 12/17 (1)	BPC121713006	99 x 219 x 65	✓	2.4	\$ 235
	Blue Smart IP67 Charger 12/25 (1)	BPC122547006	99 x 219 x 65	✓	2.4	\$ 275
	Blue Smart IP67 Charger 12/25 (1+Si)	BPC122514006	99 x 219 x 65	✓	2.4	\$ 321
	Blue Smart IP67 Charger 24/5 (1)	BPC240513006	85 x 211 x 60	✓	1.8	\$ 180
	Blue Smart IP67 Charger 24/8 (1)	BPC240813006	99 x 219 x 65	✓	2.4	\$ 235
	Blue Smart IP67 Charger 24/12 (1)	BPC241247006	99 x 219 x 65	✓	2.4	\$ 275
	Blue Smart IP67 Charger 24/12 (1+Si)	BPC241214006	99 x 219 x 65	✓	2.4	\$ 321
	See appendix for availability of models with CEE 7/16, UK or AU/NZ plug					



2026-Q3

New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only

AUD C

BLUE SMART BATTERY CHARGERS IP65 120V

Ex GST



1 output, natural convection cooling. With NEMA 1-15P plug		H x W x D	€	kg	
Blue Smart IP65 Charger 6V/12V-1.1 + DC connector	BPC120134124R	38 x 64 x 153	✓	0.4	\$ 91
Blue Smart IP65 Charger 12/5 + DC connector	BPC120531104R	47 x 95 x 190	✓	0.8	\$ 145
Blue Smart IP65 Charger 12/7 + DC connector	BPC120731104R	47 x 95 x 190	✓	0.8	\$ 190
Blue Smart IP65 Charger 12/10 + DC connector	BPC121031104R	60 x 105 x 190	✓	0.9	\$ 225
Blue Smart IP65 Charger 12/15 + DC connector	BPC121531104R	60 x 105 x 190	✓	0.9	\$ 247
Blue Smart IP65 Charger 12/25 + DC connector	BPC122531124	75 x 140 x 240	✓	1.9	\$ 346
Blue Smart IP65 Charger 24/5 + DC connector	BPC240531104R	47 x 95 x 190	✓	0.8	\$ 190
Blue Smart IP65 Charger 24/8 + DC connector	BPC240831104R	60 x 105 x 190	✓	0.9	\$ 247
Blue Smart IP65 Charger 24/13 + DC connector	BPC241331124	75 x 140 x 240	✓	1.9	\$ 346

Accessories for the Blue Smart IP65 Charger **see next page**

BLUE SMART BATTERY CHARGERS IP67 120V, waterproof



Blue Smart IP67 Charger 12/25

1 output. With NEMA 5-15P plug					
Blue Smart IP67 Charger 12/7 (1)	BPC120715106	85 x 211 x 60	✓	1.8	\$ 161
Blue Smart IP67 Charger 12/13 (1)	BPC121315106	85 x 211 x 60	✓	1.8	\$ 214
Blue Smart IP67 Charger 12/17(1)	BPC121715106	99 x 219 x 65	✓	2.4	\$ 235
Blue Smart IP67 Charger 12/25(1)	BPC122547106	99 x 219 x 65	✓	2.4	\$ 275
Blue Smart IP67 Charger 24/5 (1)	BPC240515106	85 x 211 x 60	✓	1.8	\$ 180
Blue Smart IP67 Charger 24/8 (1)	BPC240815106	99 x 219 x 65	✓	2.4	\$ 235
Blue Smart IP67 Charger 24/12 (1)	BPC241247106	99 x 219 x 65	✓	2.4	\$ 275

BATTERY CHARGERS IP22 120V



Blue Smart IP22 Charger


1 output or 3 outputs, fan assisted cooling. With NEMA 5-15P plug. VE.Smart Network enabled.					
Blue Smart IP22 Charger 12/15 (1)	BPC121545102	235 x 108 x 65	✓	1.4	\$ 218
Blue Smart IP22 Charger 12/15 (3)	BPC121546102	235 x 108 x 65	✓	1.4	\$ 251
Blue Smart IP22 Charger 12/20 (1)	BPC122045102	235 x 108 x 65	✓	1.4	\$ 260
Blue Smart IP22 Charger 12/20 (3)	BPC122046102	235 x 108 x 65	✓	1.4	\$ 293
Blue Smart IP22 Charger 12/30 (1)	BPC123047102	235 x 108 x 65	✓	1.4	\$ 313
Blue Smart IP22 Charger 12/30 (3)	BPC123048102	235 x 108 x 65	✓	1.4	\$ 335
Blue Smart IP22 Charger 24/12 (1)	BPC241245102	235 x 108 x 65	✓	1.4	\$ 267
Blue Smart IP22 Charger 24/16 (1)	BPC241647102	235 x 108 x 65	✓	1.4	\$ 319
Blue Smart IP22 Charger 24/16 (3)	BPC241648102	235 x 108 x 65	✓	1.4	\$ 327


BATTERY CHARGERS IP43 120/240V










Smart IP43 Charger
12/50 (3) 120/240V





Universal input 90-265VAC/45-65Hz, or 90-400VDC					
Smart IP43 Charger 12/30 (1+1) 120/240V	PSC123051095	180 x 249 x 100	✓	3.5	\$ 546
Smart IP43 Charger 12/30 (3) 120/240V	PSC123053095	180 x 249 x 100	✓	3.5	\$ 587
Smart IP43 Charger 12/50 (1+1) 120/240V	PSC125051095	180 x 249 x 100	✓	3.5	\$ 695
Smart IP43 Charger 12/50 (3) 120/240V	PSC125053095	180 x 249 x 100	✓	3.5	\$ 737
Smart IP43 Charger 24/16 (1+1) 120/240V	PSC241651095	180 x 249 x 100	✓	3.5	\$ 546
Smart IP43 Charger 24/25 (1+1) 120/240V	PSC242551095	180 x 249 x 100	✓	3.5	\$ 695
Smart IP43 Charger 24/25 (3) 120/240V	PSC242553095	180 x 249 x 100	✓	3.5	\$ 737
Smart IP43 Charger 36/15(1) 120-240V	PSC361550095	180 x 249 x 116	✓	2.7	\$ 803
Smart IP43 Charger 48/13(1) 120-240V	PSC481350095	180 x 249 x 116	✓	2.7	\$ 803
Mains Cord CEE 7/7 for Smart IP43 Charger 2m	ADA010100100		✓		\$ 15
Mains Cord UK for Smart IP43 Charger 2m	ADA010100200		✓		\$ 15
Mains Cord AU/NZ for Smart IP43 2m	ADA010100300		✓		\$ 15
Mains Cord NEMA 5-15P for Smart IP43 2m	ADA010100400		✓		\$ 15
Mains Cord NEMA 6-15P for Smart IP43 2m	ADA010100500		✓		\$ 15

BATTERY CHARGERS 120/240V, analog control						Ex GST
3x full current output			H x W x D	€	kg	
	Centaur Charger 12/20 (3)	CCH012020000	355 x 215 x 110	✓	3.8	\$ 593
	Centaur Charger 12/30 (3)	CCH012030000	355 x 215 x 110	✓	3.8	\$ 658
	Centaur Charger 12/40 (3)	CCH012040000	426 x 239 x 135	✓	5.0	\$ 808
	Centaur Charger 12/50 (3)	CCH012050000	426 x 239 x 135	✓	5.0	\$ 840
	Centaur Charger 12/60 (3)	CCH012060000	426 x 239 x 135	✓	5.0	\$ 874
	Centaur Charger 12/80 (3)	CCH012080000	505 x 255 x 130	✓	12	\$ 1,449
	Centaur Charger 12/100 (3)	CCH012100000	505 x 255 x 130	✓	12	\$ 1,682
	Centaur Charger 24/16 (3)	CCH024016000	355 x 215 x 110	✓	3.8	\$ 728
	Centaur Charger 24/30 (3)	CCH024030000	426 x 239 x 135	✓	5.0	\$ 1,019
	Centaur Charger 24/40 (3)	CCH024040000	505 x 255 x 130	✓	12	\$ 1,330
Centaur Charger 24/60 (3)	CCH024060000	505 x 255 x 130	✓	12	\$ 1,446	

BATTERY CHARGERS 120/240V microprocessor control						
Universal input 90-265VAC/45-65Hz, or 90-400VDC						
2x full current output + 1x 4A output						
	Phoenix Charger 24/16(2+1) 120/240V	PCH024016001	350 x 200 x 108	✓	3.8	\$ 581
	Phoenix Charger 24/25(2+1) 120/240V	PCH024025001	350 x 200 x 108	✓	3.8	\$ 1,065

BATTERY CHARGERS: microprocessor control						
	Skylla IP65 12/70(1+1) 120/240V	SKY012070000	401 x 265 x 151	✓	6.0	\$ 1,174
	Skylla IP65 12/70(3) 120/240V	SKY012070100	401 x 265 x 151	✓	6.0	\$ 1,293
	Skylla IP65 24/35(1+1) 120/240V	SKY024035000	401 x 265 x 151	✓	6.0	\$ 1,174
	Skylla IP65 24/35(3) 120/240V	SKY024035100	401 x 265 x 151	✓	6.0	\$ 1,293
	Skylla-TG 24/30 (1+1) 120/240V	SDTG2400301	365 x 250 x 147	✓	5.5	\$ 1,051
	Skylla-TG 24/50 (1+1) 230V	SDTG2400501	365 x 250 x 147	✓	5.5	\$ 1,137
	Skylla-TG 24/80 (1+1) 230V	SDTG2400801	365 x 250 x 257	✓	10	\$ 1,864
	Skylla-TG 24/100 (1+1) 230V	SDTG2401001	365 x 250 x 257	✓	10	\$ 2,137
	Skylla-TG 24/50 3-phase (1+1) 400V	STG024050300	365 x 250 x 257	✓	13	\$ 2,065
	Skylla-TG 24/100 3-phase (1+1) 400V	STG024100300	515 x 260 x 265	✓	23	\$ 3,302
	Skylla-TG 24/30 (1+1) 120/240V	SDTG2400303	365 x 250 x 147	✓ GL**	5.5	\$ 1,283
	Skylla-TG 24/50 (1+1) 120/240V	SDTG2400503	365 x 250 x 147	✓ GL**	5.5	\$ 1,388
	Skylla-TG 24/100 (1+1) 120/240V	SDTG2401003	365 x 250 x 257	✓ GL**	10	\$ 2,606
	Skylla-TG 24/30 GMDSS 120/240V (excl. panel)	SDTG2400302	485 x 250 x 147	✓	6.0	\$ 1,606
	Skylla-TG 24/50 GMDSS 120/240V (excl. panel)	SDTG2400504	485 x 250 x 147	✓	6.0	\$ 2,019
	Skylla-TG 48/25 (1+1) 230V	SDTG4800251	365 x 250 x 147	✓	5.5	\$ 1,366
	Skylla-TG 48/50 (1+1) 230V	SDTG4800501	365 x 250 x 257	✓	10	\$ 2,304
	Skylla-i 24/80 (1+1) 230V	SKIO2408000	402 x 250 x 140	✓	8.0	\$ 1,784
	Skylla-i 24/80 (3) 230V	SKIO2408002	402 x 250 x 140	✓	8.0	\$ 2,080
	Skylla-i 24/100 (1+1) 230V	SKIO2410000	402 x 250 x 140	✓	8.0	\$ 2,047
	Skylla-i 24/100 (3) 230V	SKIO2410002	402 x 250 x 140	✓	8.0	\$ 2,400
	Skylla-i remote on-off cable	ASS030550410		✓		\$ 35

**Germanischer Lloyd approval. Category C, EMC 1

SHORE CABLES						
Shore Power Cords with Shore Power Organiser Bag						
	Shore Power Cord 15m 16A	SHP302501500		✓		\$ 288
	Shore Power Cord 25m 16A	SHP302502500		✓		\$ 389
	Shore Power Cord 15m 25A	SHP304001500		✓		\$ 369
	Shore Power Cord 25m 32A	SHP306002500		✓		\$ 719
	Power Inlet 16A polyamid with cover	SHP301603000		✓		\$ 112
	Power Inlet 16A stainless steel with cover	SHP301602000		✓		\$ 162
	Power Inlet 32A stainless steel with cover	SHP303202000		✓		\$ 211
	Plug 16A/250Vac (2p/3w) for Power Inlet 16A	SHP301604000		✓		\$ 129
	Plug 32A/250Vac (2p/3w) for Power Inlet 32A	SHP303204000		✓		\$ 173
	Adapter Cord 16A/250V Schuko/CEE	SHP307700220		✓		\$ 40
	Adapter Cord 16A/250V CEE/Schuko	SHP307700260		✓		\$ 38
	Splitter Cord 16A/250V CEE/2xCEE	SHP307700240		✓		\$ 130
	Adapter Cord 16A to 32A/250V CEE/CEE	SHP307700280		✓		\$ 57
	Adapter Cord 32A 3-phase to single phase	SHP307700300		✓		\$ 78



Adapter Cord SHP307700220



Adapter Cord SHP307700260




Splitter Cord SHP307700240



Adapter Cord SHP307700280



Adapter Cord SHP307700300

ISOLATION TRANSFORMERS / AUTOTRANSFORMER / GALVANIC ISOLATOR						
	Isolation Transformer 2000W 115/230V	ITR040202041	375 x 214 x 135	✓	10	\$ 682
	Isolation Transformer 2500W 115/230V	ITR040252043	446 x 214 x 135	★	12	\$ 613
	Isolation Transformer 3600W 115/230V	ITR040362041	362 x 258 x 221	✓	23	\$ 1,024
	Isolation Transformer 4500W 115/230V	ITR040452042	362 x 258 x 221	★	22	\$ 922
	Isolation Transformer 7000W 230V	ITR000702001	362 x 258 x 221	✓	30	\$ 1,399
	Isolation Transformer 8000W 230V	ITR000802002	362 x 258 x 243	★	28	\$ 1,259
	Isolation Transformer 4500W Auto 115/230V	ITR050452042	362 x 258 x 221	★	22	\$ 975
	with automatic input voltage detection					
	Autotransformer 120/240VAC-32A	ITR000100001	375 x 214 x 110	✓	10	\$ 773
	Autotransformer 120/240VAC-50A	ITR000100052	375 x 214 x 110	✓	12	\$ 803
Autotransformer 120/240VAC-100A	ITR000100101	425 x 214 x 110	✓	14	\$ 873	
Autotransformer 120/240VAC-100A	ITR000100102	425 x 214 x 110	★	12	\$ 873	
The ultimate solution for split phase installations						
Galvanic Isolator VDI-16	GDI000016000	60 x 120 x 200	✓	1.0	\$ 188	
Galvanic Isolator VDI-32	GDI000032000	63 x 164 x 235	✓	2.0	\$ 427	
Galvanic Isolator VDI-64	GDI000064000	64 x 164 x 224	✓	2.0	\$ 523	



2026-Q3

New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only

AUD C

EV CHARGING STATION			H x W x D	€	kg	Ex GST
	EV Charging Station	EVC300400300		✓		\$ 870
	EV Charging Station NS	EVC200300200		✓		\$ 870
	Black front for EV Charging Station NS	EVC200300310				\$ 54
	White front for EV Charging Station NS	EVC200300410				\$ 54
DC-DC CONVERTERS						
Not isolated, resin encapsulated						
	Orion IP67 24/12-5 (60W)	ORI241205260	25 x 43 x 20	✓	0.1	\$ 36
	Orion IP67 24/12-10 (120W)	ORI241210260	74 x 74 x 32	✓	0.4	\$ 59
	Orion IP67 24/12-20 (240W)	ORI241220260	74 x 74 x 32	✓	0.5	\$ 77
	Orion IP67 12/24-50 (1200W)	ORI122421226	340 x 127 x 63	✓	3.1	\$ 468
	Orion IP67 24/12-100 (1200W)	ORI241221226	265 x 127 x 63	✓	2.2	\$ 390
Not isolated						
	Orion-Tr 24/12-5 (60W)	ORI241205200(R)	53 x 51 x 27	✓	0.1	\$ 26
	Orion-Tr 24/12-10 (120W)	ORI241210200(R)	73 x 94 x 37	✓	0.2	\$ 57
	Orion-Tr 24/12-15 (180W)	ORI241215200(R)	73 x 94 x 45	✓	0.3	\$ 64
	Orion-Tr 24/12-20 (240W)	ORI241220200(R)	73 x 94 x 45	✓	0.3	\$ 72
	Orion 24/12-25	ORI241225020	65 x 88 x 160	✓	0.7	\$ 106
	Orion 24/12-30	ORI241230022	65 x 88 x 160	✓	0.7	\$ 118
	Orion 24/12-60	ORI241260020	65 x 88 x 185	✓	0.9	\$ 144
	Orion 24/12-70 with binding posts	ORI241270030	65 x 88 x 195	✓	0.9	\$ 164
	Orion 24/12-80	ORI241280020	65 x 88 x 195	✓	0.9	\$ 183
	Orion 24/12-80 with binding posts	ORI241280030	65 x 88 x 195	✓	0.9	\$ 183
	Orion 48/12-60	ORI481260020	65 x 88 x 195	✓	0.9	\$ 222
	Orion 12/24-8	ORH122408020	45 x 90 x 115	✓	0.3	\$ 92
	Orion 12/24-10	ORH122410020	45 x 90 x 125	✓	0.4	\$ 106
	Orion 12/24-20	ORH122420020	65 x 88 x 195	✓	0.9	\$ 196
	25A Buck-Boost DC-DC converter	ORI303025000	165 x 120 x 30	✓	0.9	\$ 929
	50A Buck-Boost DC-DC converter	ORI303050000	213 x 120 x 30	✓	1.1	\$ 1,154
	100A Buck-Boost DC-DC converter	ORI303100000	288 x 162 x 50	✓	4.0	\$ 2,018
	CAN-bus Temp. sensor for Buck-Boost DC-DC convert	ASS000200100	58 x 40 x 16	✓	0.0	\$ 225
	Orion-Tr Smart 12/12-30A Non-isolated DC-DC ch.	ORH121236140	130 x 186 x 80	✓	1.8	\$ 369
	Orion-Tr Smart 12/24-15A Non-isolated DC-DC ch.	ORH122436140	130 x 186 x 80	✓	1.8	\$ 369
	Orion-Tr Smart 24/12-30A Non-isolated DC-DC ch.	ORH122436140	130 x 186 x 80	✓	1.8	\$ 369
	Orion-Tr Smart 24/24-17A Non-isolated DC-DC ch.	ORI242440140	130 x 186 x 80	✓	1.6	\$ 369
	Orion XS 12/12-50A DC-DC battery charger	ORH121217050	138 x 123 x 40	✓	0.3	\$ 534
	Orion XS 12/12-70A DC-DC battery charger	ORH121221040	138 x 123 x 40	★	0.3	\$ 643
	Orion XS 1400 DC-DC battery charger	ORI242417040	138 x 123 x 40	✓	0.6	\$ 610
	Input and output 12V or 24V, current in and out max 50A					
With galvanic isolation						
	Orion-Tr 12/12-9A (110W)	ORI121210110(R)	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 12/12-18A (220W)	ORH121222110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 12/12-30A (360W)	ORH121240110	130 x 186 x 80	✓	1.8	\$ 345
	Orion-Tr 12/24-5A (120W)	ORH122410110	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 12/24-10A (240W)	ORH122424110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 12/24-15A (360W)	ORH122441110	130 x 186 x 80	✓	1.8	\$ 345
	Orion-Tr 12/48-8A (380W)	ORH124838110	130 x 186 x 80	✓	1.8	\$ 345
	Orion-Tr Smart 12/12-18A Isolated DC-DC charger	ORH121222120	130 x 186 x 70	✓	1.3	\$ 274
	Orion-Tr Smart 12/12-30A Isolated DC-DC charger	ORH121236120	130 x 186 x 80	✓	1.8	\$ 419
	Orion-Tr Smart 12/24-10A Isolated DC-DC charger	ORH122424120	130 x 186 x 70	✓	1.3	\$ 274
	Orion-Tr Smart 12/24-15A Isolated DC-DC charger	ORH122436120	130 x 186 x 80	✓	1.8	\$ 419
	Orion-Tr Smart 12/48-8A Isolated DC-DC charger	ORH124838120	130 x 186 x 80	✓	1.8	\$ 419
	Orion-Tr 24/12-9A (110W)	ORI241210110(R)	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 24/12-20A (240W)	ORI241224110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 24/12-30A (360W)	ORI241240110	130 x 186 x 80	✓	1.8	\$ 345
	Orion-Tr 24/24-5A (120W)	ORI242411010(R)	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 24/24-12A (280W)	ORI242428110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 24/24-17A (400W)	ORI242441110	130 x 186 x 70	✓	1.6	\$ 345
	Orion-Tr 24/48-2,5A (120W)	ORI244810110	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 24/48-6A (280W)	ORI244828110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 24/48-8,5A (400W)	ORI244841110	130 x 186 x 70	✓	1.6	\$ 345
	Orion-Tr Smart 24/12-20A Isolated DC-DC charger	ORI241224120	130 x 186 x 70	✓	1.3	\$ 274
	Orion-Tr Smart 24/12-30A Isolated DC-DC charger	ORI241236120	130 x 186 x 80	✓	1.8	\$ 419
	Orion-Tr Smart 24/24-12A Isolated DC-DC charger	ORI242428120	130 x 186 x 70	✓	1.3	\$ 274
	Orion-Tr Smart 24/24-17A Isolated DC-DC charger	ORI242440120	130 x 186 x 70	✓	1.6	\$ 419
	Orion-Tr Smart 24/48-8.5A Isolated DC-DC charger	ORI244840120	130 x 186 x 70	✓	1.8	\$ 419
	Orion-Tr 48/12-9A (110W)	ORI481210110	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 48/12-20A (240W)	ORI481224110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 48/12-30A (360W)	ORI481240110	130 x 186 x 80	✓	1.8	\$ 345
	Orion-Tr 48/24-5A (120W)	ORI482410110	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 48/24-12A (280W)	ORI482428110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 48/24-16A (380W)	ORI482441110	130 x 186 x 70	✓	1.6	\$ 345
	Orion-Tr 48/48-2,5A (120W)	ORI484810110	100 x 113 x 47	✓	0.6	\$ 109
	Orion-Tr 48/48-6A (280W)	ORI484828110	130 x 186 x 70	✓	1.3	\$ 196
	Orion-Tr 48/48-8A (380W)	ORI484841110	130 x 186 x 70	✓	1.6	\$ 345
	Orion-Tr Smart 48/12-20A Isolated DC-DC charger	ORI481224120	130 x 186 x 70	✓	1.2	\$ 274
	Orion-Tr Smart 48/12-30A Isolated DC-DC charger	ORI481236120	130 x 186 x 70	✓	1.8	\$ 419
	Orion-Tr Smart 48/24-16A Isolated DC-DC charger	ORI482438120	130 x 186 x 70	✓	1.8	\$ 419
	Orion-Tr Smart 48/48-8A Isolated DC-DC charger	ORI484838120	130 x 186 x 70	✓	1.8	\$ 419
	Orion 110/12-30A (360W)	ORH110123610	64 x 163 x 160	✓	1.4	\$ 627
	Orion 110/24-15A (360W)	ORH110243610	64 x 163 x 160	✓	1.4	\$ 627
	Orion-Tr Isolated DC-DC Charger remote cable	ASS070300100		✓		\$ 32

AUTOMATIC TRANSFER SWITCHES						Ex GST	
			H x W x D	CE	kg		
	Filax-2 230V/50Hz-240V/60Hz	SDFI0000000	120 x 255 x 75	✓	0.8	\$ 444	
	Filax-2 110V/50Hz-120V/60Hz	SDFI0000110	120 x 255 x 75	✓	0.8	\$ 444	
	VE Transfer Switch 5kVA/230V	COS230502100	175 x 215 x 120	✓	1.4	\$ 531	
	VE Transfer Switch 10kVA/230V	COS230103100	175 x 215 x 120	✓	1.5	\$ 656	
Transfer switches for general application, with time relay and aux contact for Multi/Digital Control Panel Please consider the Quattro with integrated transfer switch instead!							
	VE Transfer Switch 5kVA/230V						
	VE Transfer Switch 10kVA/230V						
Lynx and DC distribution							
	Lynx Power In (M10)	LYN020102010	170 x 290 x 80	✓	2.1	\$ 242	
	Lynx Class-T Power In (M10)	LYN060404010	170 x 280 x 97	✓	2.1	\$ 291	
	Lynx Smart BMS 500 (M8)	LYN034160200	170 x 186 x 80	✓	2.2	\$ 1,007	
	Lynx Smart BMS 500 (M10)	LYN034160210	170 x 186 x 80	✓	2.2	\$ 1,170	
	Lynx Smart BMS 500 NG (M10)	LYN034160310	170 x 186 x 80	✓	2.2	\$ 1,170	
	Lynx Smart BMS 1000 (M10)	LYN034170210	170 x 186 x 80	✓	2.5	\$ 1,561	
	Lynx Smart BMS 1000 NG (M10)	LYN034170310	170 x 186 x 80	✓	2.5	\$ 1,561	
	Lynx Shunt VE.Can (M10)	LYN040102110	170 x 186 x 80	✓	1.4	\$ 609	
	Lynx Distributor (M10)	LYN060102010	170 x 290 x 80	✓	2.3	\$ 345	
		Dual Terminal Stud M8-linked set (1 red/1 black)	VBB413020010		✓		\$ 37
		Busbar 150A 2P with 10 screws +cover	VBB115021020		✓		\$ 32
		Busbar 150A 2P with 20 screws +cover	VBB115022020		✓		\$ 49
		Busbar 150A 4P + cover	VBB115040020		✓		\$ 32
Busbar 150A 6P + cover		VBB115060020		✓		\$ 48	
Busbar 250A 2P with 6 screws +cover		VBB125020620		✓		\$ 75	
Busbar 250A 2P with 12 screws +cover		VBB125021220		✓		\$ 86	
Busbar 250A 4P + cover		VBB125040010		✓		\$ 97	
Busbar 250A 6P + cover		VBB125060020		✓		\$ 106	
Busbar 600A 4P + cover		VBB160040010		✓		\$ 224	
Busbar 600A 8P + cover		VBB160080010		✓		\$ 347	
Battery switch on/off 275A		VBS127010010		✓		\$ 60	
		Dual Terminals					
	Busbar 150A 2P with 20 screws						
	Busbar 150A 4P + cover						
	Busbar 250A 4P Cover not shown						
	Busbar 600A 8P Cover not shown						
	Battery Switch 275A						
FUSES							
	MIDI-fuse 100A/32V (package of 5 pcs)	CIP132100010	8 x 12 x 42	✓		\$ 15	
	MIDI-fuse 125A/32V (package of 5 pcs)	CIP132125010	8 x 12 x 42	✓		\$ 15	
	MIDI-fuse 200A/32V (package of 5 pcs)	CIP132200010	8 x 12 x 42	✓		\$ 15	
	MIDI-fuse 50A/58V for 48V products (1 pc)	CIP133050010	8 x 12 x 42	✓		\$ 8	
	MIDI-fuse 60A/58V for 48V products (1 pc)	CIP133060010	8 x 12 x 42	✓		\$ 8	
	MIDI-fuse 80A/58V for 48V products (1 pc)	CIP133080010	8 x 12 x 42	✓		\$ 8	
	MIDI-fuse 100A/58V for 48V products (1 pc)	CIP133100010	8 x 12 x 42	✓		\$ 8	
	MIDI-fuse 30A/58V-M6 (package of 5 pcs)	CIP134030020	8 x 12 x 42	✓		\$ 20	
	MIDI-fuse 40A/58V-M6 (package of 5 pcs)	CIP134040020	8 x 12 x 42	✓		\$ 20	
	MIDI-fuse 60A/58V-M6 (package of 5 pcs)	CIP134060020	8 x 12 x 42	✓		\$ 20	
	MIDI-fuse 80A/58V-M6 (package of 5 pcs)	CIP134080020	8 x 12 x 42	✓		\$ 20	
	MIDI-fuse 100A/58V-M6 (package of 5 pcs)	CIP134100020	8 x 12 x 42	✓		\$ 20	
	Fuse holder for MIDI-fuse	CIP000050001	25 x 30 x 52	✓		\$ 15	
	MEGA-fuse 400A/32V (package of 5 pcs)	CIP136400010	9 x 19 x 67	✓		\$ 26	
	MEGA-fuse 500A/32V (package of 5 pcs)	CIP136500010	9 x 19 x 67	✓		\$ 26	
	MEGA-fuse 40A/80V (package of 5 pcs)	CIP138040020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 60A/80V (package of 5 pcs)	CIP138060020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 80A/80V (package of 5 pcs)	CIP138080020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 100A/80V (package of 5 pcs)	CIP138100020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 125A/80V (package of 5 pcs)	CIP138125020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 150A/80V (package of 5 pcs)	CIP138150020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 175A/80V (package of 5 pcs)	CIP138175020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 200A/80V (package of 5 pcs)	CIP138200020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 225A/80V (package of 5 pcs)	CIP138225020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 250A/80V (package of 5 pcs)	CIP138250020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 300A/80V (package of 5 pcs)	CIP138300020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 400A/80V (package of 5 pcs)	CIP138400020	9 x 19 x 67	✓		\$ 61	
	MEGA-fuse 500A/80V (package of 5 pcs)	CIP138500020	9 x 19 x 67	✓		\$ 61	
	Fuse holder for MEGA-fuse	CIP000100001	39 x 39 x 97	✓		\$ 20	
		Six-way fuse holder for Mega-fuse with busbar (250A)	CIP050060000	50 x 182 x 80	✓		\$ 47
Modular fuse holder for Mega-fuse		CIP100200100	45 x 33 x 73	✓		\$ 61	
Busbar to connect 5 CIP100200100 (500 A)		CIP100400060	5 x 40 x 180	✓		\$ 66	
Busbar to connect 6 CIP100200100 (1500 A)		CIP100400070	5 x 40 x 240	✓		\$ 77	
		ANL-fuse 300A/80V (package of 5 pcs)	CIP143300020	10 x 20 x 81	✓		\$ 54
		ANL-fuse 400A/80V (package of 5 pcs)	CIP143400020	10 x 20 x 81	✓		\$ 54
		ANL-fuse 500A/80V (package of 5 pcs)	CIP143500020	10 x 20 x 81	✓		\$ 54
		Fuse holder for ANL-fuse	CIP106100000	44 x 25 x 87	✓		\$ 17
		Fuse CNN 325A/80V for Lynx shunt	CIP140325000	15 x 82 x 20	✓		\$ 86











2026-Q3

New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only

AUD C

GX Products			H x W x D	€	kg	Ex GST
	Ekrano GX	BPP900480100	124 x 187 x 33	✓		\$ 967
	Ekrano GX Wall Mount	BPP900495100		✓		\$ 37
	** Cerbo GX MK2	BPP900451100	48 x 154 x 78	✓	0.4	\$ 425
	** Cerbo GX MK2	BPP900450110	48 x 154 x 78	✓	0.4	\$ 425
	** Identical products, availability depending on location - see eOrder					
	Nucleo GX	BPP900453100	87 x 146 x 34.5	✓★	July	\$ 352
	GX Touch 50	BPP900455050	87 x 128 x 12.5	✓		\$ 378
	GX Touch 50 flush	BPP900455150	97 x 136 x 12	✓		\$ 421
	GX Touch 50 adapter for CCGX cut-out	BPP900460050		✓		\$ 42
	GX Touch 50 Wall Mount	BPP900465050		✓		\$ 26
	GX Touch 70	BPP900455070	113 x 176 x 13.5	✓		\$ 555
	GX Touch 70 flush	BPP900455170	120 x 184 x 13	✓		\$ 620
	GX Touch 70 Wall Mount	BPP900465070		✓		\$ 36
	GX IO-Extender 150	BPP900800150		✓		\$ 214
	Venus GX	BPP900400100	46 x 142 x 96	✓		\$ 306
		Temperature sensor QUA/PMP/Venus GX	ASS000001000		✓	
CCGX WiFi module simple (ModMyPi USB 11N nano)		BPP900100200		✓		\$ 38
CCGX WiFi module long range (Netgear AC1200)		BPP900200400		✓		\$ 228
GMDSSpanel and tank senders						
	VE.Net GMDSS Panel	VPN000200000	65 x 120 x 40	✓		\$ 318
	VE.Can resistive tank sender adapter	BPP900600100	48 x 109 x 25	✓		\$ 568
	VE.Can Power Cable for BPP900600100	ASS030690000		✓		\$ 54
GX Tank 140	BPP920140100		✓		\$ 169	
REMOTE PANELS						
	Digital Multi Control 200/200A	REC020005010	65 x 120 x 40	✓		\$ 228
	Digital Multi Control 200/200A GX (90° RJ45)	DMC000200010R	65 x 120 x 40	✓		\$ 201
Above panels can be used with all Multi(Plus) and Quattro inverter/chargers						
	Inverter Control	REC030001210	65 x 60 x 40	✓		\$ 150
	Phoenix Charger Control	REC010001110	65 x 120 x 40	✓		\$ 129
	Inverter Control VE.Direct	REC040010210R	65 x 60 x 40	✓		\$ 35
	Skylla-i Control GX (90° RJ45)	REC000300010R	65 x 120 x 40	✓		\$ 224
	Charger Switch	SDRPCSV	65 x 60 x 40	✓		\$ 196
	Skylla Control	SDRPSKC	65 x 120 x 40	✓		\$ 266
	Battery Alarm GX	BPA000100010R	65 x 120 x 40	✓		\$ 99
	CCGX WiFi module long range (Netgear AC1200)	BPP900200400		✓		\$ 228
	GX LTE 4G-E (EMEA/Korea/Thailand)	GSM100100400		✓		\$ 343
	GX LTE 4G-A (North America)	GSM100200400		✓		\$ 343
	GX LTE 4G-SA (Australia/New Zealand/South America)	GSM100300400		✓		\$ 343
	(Small 2/3/4G antenna included)					
	Outdoor 2G and 3G GSM Antenna for GX GSM	GSM900100100		✓		\$ 51
	Outdoor 4G GSM Antenna	GSM900100400		✓		\$ 51
	Active GPS Antenna for GX GSM & GX LTE	GSM900200100		✓		\$ 51
	Outdoor LTE-M wall mount antenna (with 5m cable)	ANT100200100		✓		\$ 89
	Outdoor LTE-M puck antenna (with 3m cable)	ANT100200200		✓		\$ 96
	GlobalLink 520	ASS030543020		✓		\$ 372
	GlobalLink 530 (incl. 5 year activated simcard)	ASS030543030		✓★		\$ 372
	VE.Direct LoRaWAN US902-928 module	ASS030540010		✓		\$ 151
	Wall mount enclosure for 65 x 120 mm GX-panels with 90 degr. RJ45 socket only:	ASS050300010	80 x 150 x 50	✓		\$ 43
	- BPA000100000R - Battery Alarm GX					
	- REC000300000R - Skylla-i Control GX (90° RJ45)					
	- DMC000200000R - Digital Multi Control 200/200A GX (90° RJ45)					
	Wall mount enclosure for Color Control GX	ASS050400000	165 x 135 x 65	✓		\$ 58
	Wall mount enclosure for BMV or MPPT Control	ASS050500000	130 x 85 x 45	✓		\$ 40
	Wall mount enclosure for Color Control GX and BMV or MPPT Control	ASS050600000	245 x 135 x 65	✓		\$ 61
	USB extension cable 0,3m one side right angle (for Color Control in wall mount enclosure)	ASS060000100		✓		\$ 12

DATA CABLES and INTERFACES		H x W x D	€	kg	Ex GST	
	RJ12 network cables					
	RJ12 UTP Cable 0,3 m	ASS030066004	✓		\$ 14	
	RJ12 UTP Cable 0,9 m	ASS030066009	✓		\$ 14	
	RJ12 UTP Cable 1,8 m	ASS030066018	✓		\$ 14	
	RJ12 UTP Cable 3 m	ASS030066030	✓		\$ 18	
	RJ12 UTP Cable 5 m	ASS030066050	✓		\$ 28	
	RJ12 UTP Cable 10 m	ASS030066101	✓		\$ 44	
	RJ12 UTP Cable 15 m	ASS030066151	✓		\$ 54	
	RJ12 UTP Cable 30 m	ASS030066301	✓		\$ 70	
		ASS030066301 cable-color=grey				
		RJ45 network cables				
RJ45 UTP Cable 0,3 m		ASS030064900	✓		\$ 14	
RJ45 UTP Cable 0,9 m		ASS030064921	✓		\$ 14	
RJ45 UTP Cable 1,8 m		ASS030064951	✓		\$ 18	
RJ45 UTP Cable 3 m		ASS030064980	✓		\$ 21	
RJ45 UTP Cable 5 m		ASS030065001	✓		\$ 28	
RJ45 UTP Cable 10 m		ASS030065011	✓		\$ 32	
RJ45 UTP Cable 15 m		ASS030065021	✓		\$ 44	
RJ45 UTP Cable 20 m		ASS030065031	✓		\$ 54	
RJ45 UTP Cable 30 m		ASS030065050	✓		\$ 63	
		ASS030065050 cable-color=blue				
	VE.Direct cables, use to connect BMV-70x and low power MPPTs to the Color Control GX					
	VE.Direct Cable 0,3m	ASS030530203	✓		\$ 23	
	VE.Direct Cable 0,9m	ASS030530209	✓		\$ 23	
	VE.Direct Cable 1,8m	ASS030530218	✓		\$ 23	
	VE.Direct Cable 3m	ASS030530230	✓		\$ 26	
	VE.Direct Cable 5m	ASS030530250	✓		\$ 29	
	VE.Direct Cable 10m	ASS030530310	✓		\$ 34	
	VE.Direct Cable 0,3m (one side Right Angle conn)	ASS030531203	✓		\$ 23	
	VE.Direct Cable 0,9m (one side Right Angle conn)	ASS030531209	✓		\$ 23	
	VE.Direct Cable 1,8m (one side Right Angle conn)	ASS030531218	✓		\$ 23	
VE.Direct Cable 3m (one side Right Angle conn)	ASS030531230	✓		\$ 26		
VE.Direct Cable 5m (one side Right Angle conn)	ASS030531250	✓		\$ 29		
VE.Direct Cable 10m (one side Right Angle conn)	ASS030531320	✓		\$ 34		
	Cables with M8 circular connector (for Li-ion batteries)					
	Male to Female 3 pole 1 m (bag of 2)	ASS030560100	✓		\$ 57	
	Male to Female 3 pole 2 m (bag of 2)	ASS030560200	✓		\$ 60	
	Male to Female 3 pole 3 m (bag of 2)	ASS030560300	✓		\$ 64	
	Male to Female 3 pole 5 m (bag of 2)	ASS030560500	✓		\$ 73	
	Interfaces to connect Victron products to your computer					
	VE.Direct to USB interface	ASS030530010	✓		\$ 47	
	VE.Direct to USB-C interface	ASS030530030	✓		\$ 49	
	Interface MK2-USB (for Phoenix Charger only)	ASS030130010	✓		\$ 133	
	Interface MK3-USB (VE.Bus to USB)	ASS030140000	✓		\$ 118	
	Interface MK3-USB-C (VE.Bus to USB-C)	ASS030140030	✓		\$ 102	
	CANUSB interface	ASS030532010	✓		\$ 877	
	Interfaces to connect Victron products to NMEA2000					
	VE.Can to NMEA2000 Micro-C male	ASS030520200	✓		\$ 121	
	Interfaces for industrial use / datacommunication					
	Interface MK2.2b (VE.Bus to RS232)	ASS030120210	✓		\$ 93	
	RS232 to USB converter	ASS030200000	✓		\$ 49	
	VE.Direct to RS232 interface	ASS030520500	✓		\$ 47	
	VE.Can Power Cable for BPP900600100	ASS030690000	✓		\$ 54	
	Interfaces to connect a CAN-bus enabled battery to a Venus device					
	VE.Can to CAN-bus BMS type A Cable 1.8m	ASS030710118	✓		\$ 24	
	VE.Can to CAN-bus BMS type A Cable 5m	ASS030710150	✓		\$ 24	
	VE.Can to CAN-bus BMS type B Cable 1.8m	ASS030720018	✓		\$ 24	
	VE.Can to CAN-bus BMS type B Cable 5m	ASS030720050	✓		\$ 24	



2026-Q3

New products are marked with ★
Article number with suffix (R): also available in retail packaging
Article number with suffix R: available in retail packaging only

AUD C

DATA CABLES and INTERFACES, continued

Ex GST

H x W x D € kg

Interfaces to connect Victron products to each other

VE.Can RJ45 terminator (bag of 2)	ASS030700000	✓	\$ 17
Inverting remote on-off cable	ASS030550120	✓	\$ 26
Non-inverting remote on-off cable	ASS030550220	✓	\$ 26
VE.Direct non inverting remote on-off cable	ASS030550320	✓	\$ 32
VE.Bus BMS to BMS 12-200 alternator control cable	ASS030510120	✓	\$ 53
Skylla-i remote on-off cable	ASS030550410	✓	\$ 35
RJ45-splitter 1xRJ45 male/15cm cable/2xRJ45 female	ASS030065510	✓	\$ 32



AC Current sensor

Miscellaneous

AC Current sensor	CSE000100000	✓	\$ 84
Current Transformer 100A:50mA for MultiPlus-II (1m)	CTR110000500	✓	\$ 46
Current Transformer 100A:50mA for MultiPlus-II (5m)	CTR110000550	✓	\$ 51
Current Transformer 100A:50mA for MultiPlus-II (20 m)	CTR110002050	✓	\$ 92
Current Transf. 100A:50mA for MultiPlus-II (1m) Wire-end	CTR120000500	✓	\$ 46
Current Transf. 100A:50mA for MultiPlus-II (5m) Wire-end	CTR120000550	✓	\$ 51
Current Transf. 100A:50mA for MultiPlus-II (20m) Wire-end	CTR120002050	✓	\$ 92
Current Transf. 400A:50mA for MultiPlus-II (10m) Wire-end	CTR140005100	✓	\$ 67

Temperature sensor QUA/PMP/Venus GX	ASS000001000	✓	\$ 35
Temperature sensor type C (for Inverter RS)	ASS000020000	✓	\$ 35
Temperature sensor for BMV-702/712	ASS000100000	✓	\$ 54

Pre-charge cable	ASS070400100	✓	\$ 61
-------------------------	--------------	---	-------



DIN35 adapter small (per pair)	ADA500100100	✓	\$ 25
---------------------------------------	--------------	---	-------

For: Cerbo GX, (Smart) MPPT 100/20, Orion -Tr 24/12-10/15/20 non isolated

DIN35 adapter medium (per pair)	ADA500140100	✓	\$ 27
--	--------------	---	-------

For MPPT 100/30-50 & 150/35- & Orion (Smart) 220/240/280/360/400W

DIN35 adapter large (per pair)	ADA500180100	✓	\$ 30
---------------------------------------	--------------	---	-------

For MPPT 75/10-15 & 100/15 & Orion 110/120W



VE.Direct Bluetooth Smart dongle

VE.Direct Bluetooth Smart dongle	ASS030536011	✓	\$ 68
---	--------------	---	-------

For iPhone and Android. For monitoring as well as product set-up)
(BMV-70X series, VE.Direct inverters, BlueSolar MPPT solar charge controllers, Peak Power Pack)



VE.Bus Smart dongle

VE.Bus Smart dongle	ASS030537010	✓	\$ 161
----------------------------	--------------	---	--------

Ziehl anti-islanding relay:

Anti-islanding relay UFR1001E	REL100100000	✓	\$ 1,414
--------------------------------------	--------------	---	----------

Fulfills the requirements of VDE-AR-N 4105, ÖVE/ÖNORM E 8001-4-712, G59/3 and G83/2, DIN V VDE V 0126-1-1, ERDF-NOI-RES_13E



Energy Meter ET112 - 1 phase - max 100A	REL300100000	✓	\$ 321
--	--------------	---	--------

Energy Meter ET340 - 3 phase - max 65A/phase	REL300300000	✓	\$ 135
---	--------------	---	--------

Energy Meter EM540 - 3 phase - max 65A/phase	REL200100100	✓	\$ 181
---	--------------	---	--------

Energy Meter EM24 - 3 phase - max 65A/ph Ethernet	REL200200100	✓	\$ 171
--	--------------	---	--------

(Carlo Gavazzi ET112-DIN.AV01.X.S1.X, ET340-DIN.AV23.X.S1.X, resp. EM24DINAV93XISX)

Energy Meter VM-3P75CT	REL200300100	✓	\$ 295
-------------------------------	--------------	---	--------

RS485 to USB interface cable 1,8 m	ASS030572018	✓	\$ 47
---	--------------	---	-------

RS485 to USB interface cable 5 m	ASS030572050	✓	\$ 54
---	--------------	---	-------



Zigbee to RS485 converter	ASS300420100	✓	\$ 194
----------------------------------	--------------	---	--------

Zigbee to USB converter	ASS300420200	✓	\$ 168
--------------------------------	--------------	---	--------

Anti-islanding box 63A single and three phase	RCD000300200	230 x 380 x 100	✓	\$ 2,000
--	--------------	-----------------	---	----------

BATTERY MONITOR BMV				H x W x D	CE	kg	Ex GST
	Battery Monitor BMV-700	BAM010700000 (R)		65 x 65 x 30	✓	0.3	\$ 171
	Battery Monitor BMV-702	BAM010702000 (R)		65 x 65 x 30	✓	0.3	\$ 212
	Battery Monitor BMV-702 BLACK	BAM010702200 (R)		65 x 65 x 30	✓	0.3	\$ 212
	Battery Monitor BMV-712 Smart	BAM030712000 (R)		65 x 65 x 30	✓	0.3	\$ 245
	Battery Monitor BMV-712 BLACK Smart	BAM030712200 (R)		65 x 65 x 30	✓	0.3	\$ 245
	Battery Monitor BMV-700H (70 - 350 VDC)	BAM010700100			✓		\$ 868
	Battery Monitor BMV-710H Smart (70 - 350 VDC)	BAM030710100			✓		\$ 909
	With 500A shunt in plastic enclosure and connection kit. Suitable for systems with grounded negative only.						
	Temperature sensor for BMV-702/712	ASS000100000			✓		\$ 54
	Smartshunt 300A	SHU050130050		44 x 120 x 44	✓		\$ 122
	Smartshunt 500A	SHU050150050		46 x 120 x 54	✓		\$ 171
	Smartshunt 1000A	SHU050210050		68 x 120 x 54	✓		\$ 284
	Smartshunt 2000A	SHU050220050		68 x 120 x 76	✓		\$ 387
	Smartshunt 300A IP65	SHU065130050		44 x 120 x 38	✓		\$ 122
	Smartshunt 500A IP65	SHU065150050		46 x 120 x 54	✓		\$ 171
	Smartshunt 1000A IP65	SHU065210050		68 x 120 x 54	✓		\$ 284
	Smartshunt 2000A IP65	SHU065220050		68 x 120 x 76	✓		\$ 387
	Shunt 500A/50mV	SHU500050100		45 x 28 x 120	✓		\$ 38
	Shunt 1000A/50mV	SHU102050200		80 x 30 x 168	✓		\$ 127
	Shunt 2000A/50mV	SHU202050200		80 x 50 x 168	✓		\$ 199
	Shunt 6000A/50mV	SHU602050200		135 x 60 x 168	✓		\$ 350
	Smartshunt 500A/50mV						
	Shunt 1000A/50mV						
	Shunt 2000A/50mV						
	Shunt 6000A/50mV						
BATTERY ISOLATORS							
	Diode Isolators with alternator energize input ("AC" models only) and compensation diode (all models)						
	Argodiode 80-2SC 2 batteries 80A	ARG080202000 (R)		60 x 120 x 75	✓	0.5	\$ 67
	Argodiode 80-2AC 2 batteries 80A	ARG080201000 (R)		60 x 120 x 90	✓	0.6	\$ 86
	Argodiode 100-3AC 3 batteries 100A	ARG100301000R		60 x 120 x 115	✓	0.8	\$ 116
	Argodiode 120-2AC 2 batteries 120A	ARG120201020R		60 x 120 x 115	✓	0.8	\$ 130
	Argodiode 140-3AC 3 batteries 140A	ARG140301020R		60 x 120 x 150	✓	1.1	\$ 164
	Argodiode 160-2AC 2 batteries 160A	ARG160201020		60 x 120 x 150	✓	1.1	\$ 155
	Argodiode 180-3AC 3 batteries 180A	ARG180301020		60 x 120 x 200	✓	1.5	\$ 188
	FET Isolators with alternator energize input						
	Argofet 100-2 Two batteries 100A	ARG100201020 (R)		65 x 120 x 200	✓	1.4	\$ 171
	Argofet 100-3 Three batteries 100A	ARG100301020 (R)		65 x 120 x 200	✓	1.4	\$ 197
	Argofet 200-2 Two batteries 200A	ARG200201020 (R)		65 x 120 x 200	✓	1.4	\$ 205
	Argofet 200-3 Three batteries 200A	ARG200301020 (R)		65 x 120 x 200	✓	1.4	\$ 240
	Microprocessor controlled battery combiner/isolators						
	Cyrix-ct 12/24V-120A intelligent combiner	CYR010120011 (R)		46 x 46 x 80	✓	0.1	\$ 84
	Cyrix-ct 12/24V-120A Battery combiner kit	CYR010120110R		46 x 46 x 80	✓	0.1	\$ 167
	Cyrix-ct 12/24V-230A intelligent combiner	CYR010230010 (R)		65 x 100 x 50	✓	0.3	\$ 207
	Cyrix-i 12/24V-400A intelligent combiner	CYR010400000		78 x 102 x 110	✓	0.9	\$ 442
	Cyrix-i 24/48V-400A intelligent combiner	CYR020400000		78 x 102 x 110	✓	0.9	\$ 442
	Diode Battery Combiner						
	BCD 402 2 batteries 40A	BCD000402000		60 x 120 x 75	✓	0.6	\$ 63
	BCD 802 2 batteries 80A	BCD000802000		60 x 120 x 75	✓	0.8	\$ 77
	Battery Protection						
	Battery balancer	BBA000100100		100 x 113 x 47	✓	0.6	\$ 83
	BatteryProtect 12/24V 65A	BPR000065400		40 x 48 x 106	✓	0.2	\$ 62
	BatteryProtect 12/24V-100A	BPR000100400		59 x 42 x 115	✓	0.6	\$ 91
	BatteryProtect 12/24V-220A	BPR000220400		62 x 123 x 120	✓	0.8	\$ 151
	BatteryProtect 48V-100A	BPR048100400		62 x 123 x 120	✓	0.8	\$ 206
	Smart BatteryProtect 12/24V 65A	BPR065022000		40 x 48 x 106	✓	0.2	\$ 93
	Smart BatteryProtect 12/24V-100A	BPR110022000		59 x 42 x 115	✓	0.6	\$ 122
	Smart BatteryProtect 12/24V-220A	BPR122022000		62 x 123 x 120	✓	0.8	\$ 181
	Smart BatteryProtect 48V-100A	BPR110048000		62 x 123 x 120	✓	0.8	\$ 236





New products are marked with ★
 Article number with suffix (R): also available in retail packaging
 Article number with suffix R: available in retail packaging only






2026-Q3

AUD C

SOLAR CHARGE CONTROLLERS			H x W x D	€	kg	Ex GST
	SmartSolar MPPT RS 450/100-MC4	SCC145110512	440 x 313 x 126	✓	8.0	\$ 1,899
	SmartSolar MPPT RS 450/200-MC4	SCC145120512	487 x 434 x 146	✓	14	\$ 3,324
	BlueSolar PWM-Light 12/24V-5A	SCC010005000	70 x 133 x 34	✓	0.2	\$ 30
	BlueSolar PWM-Light 12/24V-10A	SCC010010000	70 x 133 x 34	✓	0.2	\$ 35
	BlueSolar PWM-Light 12/24V-20A	SCC010020020	70 x 133 x 34	✓	0.2	\$ 47
	BlueSolar PWM-Light 12/24V-30A	SCC010030020	70 x 133 x 34	✓	0.2	\$ 65
	BlueSolar PWM-LCD&USB 12/24V-5A	SCC010005050	96 x 169 x 36	✓	0.2	\$ 42
	BlueSolar PWM-LCD&USB 12/24V-10A	SCC010010050	96 x 169 x 36	✓	0.2	\$ 47
	BlueSolar PWM-LCD&USB 12/24V-20A	SCC010020050	96 x 169 x 36	✓	0.2	\$ 59
	BlueSolar PWM DUO-LCD&USB 12/24V-20A	SCC010020060	102 x 184 x 48	✓	0.2	\$ 96
	BlueSolar PWM-LCD&USB 12/24V-30A	SCC010030050	102 x 184 x 48	✓	0.2	\$ 77
	BlueSolar PWM-LCD&USB 48V-20A	SCC040020050	102 x 184 x 48	✓	0.2	\$ 62
	BlueSolar PWM-LCD&USB 48V-30A	SCC040030050	102 x 184 x 48	✓	0.2	\$ 71
	BlueSolar PWM-Pro 12/24V-5A	SCC010005010	70 x 138 x 37	✓	0.2	\$ 42
	BlueSolar PWM-Pro 12/24V-10A	SCC010010010	70 x 138 x 37	✓	0.2	\$ 47
	BlueSolar PWM-Pro 12/24V-20A	SCC010020110	82 x 160 x 48	✓	0.3	\$ 82
	BlueSolar PWM-Pro 12/24V-30A	SCC010030010	100 x 200 x 57	✓	0.5	\$ 130
	Remote panel for BlueSolar PWM-Pro	SCC900300000	49 x 113 x 113	✓	0.2	\$ 71
	Temperature sensor for BlueSolar PWM-Pro	SCC940100100		✓		\$ 19
	BlueSolar PWM-Pro to USB interface cable	SCC940100200		✓		\$ 19
	BlueSolar MPPT 75/10	SCC010010050R	100 x 113 x 40	✓	0.4	\$ 74
	BlueSolar MPPT 75/15	SCC010015050R	100 x 113 x 40	✓	0.5	\$ 82
	BlueSolar MPPT 100/15	SCC010015200R	100 x 113 x 47	✓	0.6	\$ 106
	BlueSolar MPPT 100/20 (up to 48V)	SCC110020170R	100 x 113 x 50	✓	0.7	\$ 125
	BlueSolar MPPT 100/30	SCC020030200	130 x 186 x 70	✓	1.3	\$ 192
	BlueSolar MPPT 100/50	SCC020050200	130 x 186 x 70	✓	1.3	\$ 288
	BlueSolar MPPT 150/35	SCC020035000	130 x 186 x 70	✓	1.3	\$ 288
	BlueSolar MPPT 150/45	SCC115045222	130 x 186 x 70	✓	1.3	\$ 345
	BlueSolar MPPT 150/60-Tr	SCC010060200	200 x 250 x 95	✓	3.0	\$ 547
	BlueSolar MPPT 150/60-MC4	SCC010060300	200 x 250 x 95	✓	3.0	\$ 547
	BlueSolar MPPT 150/70-Tr	SCC010070200	200 x 250 x 95	✓	3.0	\$ 602
	BlueSolar MPPT 150/70-MC4	SCC010070300	200 x 250 x 95	✓	3.0	\$ 603
	BlueSolar MPPT 150/100-Tr VE.Can	SCC115110420	216 x 295 x 103	✓	4.5	\$ 853
	BlueSolar MPPT 250/70-Tr VE.Can	SCC125070441	200 x 250 x 95	✓	3.0	\$ 853
	BlueSolar MPPT 250/100-Tr VE.Can	SCC125110441	216 x 295 x 103	✓	4.5	\$ 1,045
	SmartSolar MPPT 75/10	SCC075010060R	100 x 113 x 40	✓	0.4	\$ 101
	SmartSolar MPPT 75/15	SCC075015060R	100 x 113 x 40	✓	0.5	\$ 109
	SmartSolar MPPT 100/15	SCC110015060R	100 x 113 x 47	✓	0.6	\$ 134
	SmartSolar MPPT 100/20 (up to 48V)	SCC110020160R	100 x 113 x 50	✓	0.7	\$ 153
	SmartSolar MPPT 100/30	SCC110030210	130 x 186 x 70	✓	1.3	\$ 221
SmartSolar MPPT 100/50	SCC110050210	130 x 186 x 70	✓	1.3	\$ 317	
SmartSolar MPPT 150/35	SCC115035210	130 x 186 x 70	✓	1.3	\$ 317	
SmartSolar MPPT 150/45	SCC115045212	130 x 186 x 70	✓	1.3	\$ 374	
	SmartSolar MPPT 150/60-Tr	SCC115060211	200 x 250 x 95	✓	3.0	\$ 602
	SmartSolar MPPT 150/60-MC4	SCC115060311	200 x 250 x 95	✓	3.0	\$ 602
	SmartSolar MPPT 150/70-Tr	SCC115070211	200 x 250 x 95	✓	3.0	\$ 656
	SmartSolar MPPT 150/70-Tr VE.Can	SCC115070411	200 x 250 x 95	✓	3.0	\$ 711
	SmartSolar MPPT 150/70-MC4 VE.Can	SCC115070511	200 x 250 x 95	✓	3.0	\$ 711
	SmartSolar MPPT 150/85-Tr VE.Can	SCC115085411	216 x 295 x 103	✓	4.5	\$ 777
	SmartSolar MPPT 150/85-MC4 VE.Can	SCC115085511	216 x 295 x 103	✓	4.5	\$ 794
	SmartSolar MPPT 150/100-Tr VE.Can	SCC115110411	216 x 295 x 103	✓	4.5	\$ 886
	SmartSolar MPPT 150/100-MC4 VE.Can	SCC115110511	216 x 295 x 103	✓	4.5	\$ 903
	SmartSolar MPPT 250/60-Tr	SCC125060221	200 x 250 x 95	✓	3.0	\$ 711
	SmartSolar MPPT 250/60-MC4	SCC125060321	200 x 250 x 95	✓	3.0	\$ 711
	SmartSolar MPPT 250/70-Tr	SCC125070221	200 x 250 x 95	✓	3.0	\$ 820
	SmartSolar MPPT 250/70-Tr VE.Can	SCC125070421	200 x 250 x 95	✓	3.0	\$ 875
	SmartSolar MPPT 250/70-MC4 VE.Can	SCC125070521	200 x 250 x 95	✓	3.0	\$ 875
	SmartSolar MPPT 250/85-Tr VE.Can	SCC125085411	216 x 295 x 103	✓	4.5	\$ 941
	SmartSolar MPPT 250/85-MC4 VE.Can	SCC125085511	216 x 295 x 103	✓	4.5	\$ 958
	SmartSolar MPPT 250/100-Tr VE.Can	SCC125110412	216 x 295 x 103	✓	4.5	\$ 1,050
	SmartSolar MPPT 250/100-MC4 VE.Can	SCC125110512	216 x 295 x 103	✓	4.5	\$ 1,067
	Inverting remote on-off cable	ASS030550120		✓		\$ 26
	VE.Direct TX digital output cable (PWM light dimming cable)	ASS030550500		✓		\$ 16
SmartSolar Pluggable Display	SCC900650010		✓		\$ 55	
MPPT Control (VE.Direct cable not included)	SCC900500000	65 x 65 x 30	✓	0.3	\$ 88	
VE.Direct non inverting remote on-off cable	ASS030550320		✓		\$ 32	
Smart Battery Sense long range (up to 10m)	SBS050150200		✓		\$ 67	

Pay-as-you-go enabled solar home systems				H x W x D	€	kg	Ex GST
	SHS 200 MPPT v3.0 MC4	SHS121409230	148 x 204 x 67	✓		0.4	\$ 140
	Solar cable for SHS 200 5mtr	SHS900120050		✓			\$ 20
	Battery Box for SHS 200	SHS800300300	268 x 207 x 364	✓			\$ 73

Wireboxes for Solar Charge Controllers							
	MPPT WireBox-S 75-10/15 (for 75-10 & 75/15)	SCC950100000		✓			\$ 40
	MPPT WireBox-S 100-15 (for 100/15)	SCC950120000		✓			\$ 40
	MPPT WireBox-S 100-20 (for 100/20)	SCC950140000		✓			\$ 40
	MPPT WireBox-M (for models with h=130mm)	SCC950200000		✓			\$ 50
	MPPT WireBox-L Tr (for Tr models, h=200mm)	SCC950300210		✓			\$ 61
	MPPT WireBox-L MC4 (for MC4 models, h=200mm)	SCC950300310		✓			\$ 61
	MPPT WireBox-XL Tr (for Tr & Tr VE.can, h=216mm)	SCC950400210		✓			\$ 61
	MPPT WireBox-XL MC4 (for MC4 models, h=216mm)	SCC950400310		✓			\$ 61

BATTERIES				L x W x H	Handle	kg	CCA / RES CAP		
AGM Deep Cycle (C20 capacity)				Height includes poles					
	6V/240Ah AGM Deep Cycle Batt.	BAT406225084	320 x 176 x 247	✓	✓	31		\$ 533	
	12V/8Ah AGM Deep Cycle Batt.	BAT212070084	151 x 65 x 101	✓		2.3		\$ 39	
	12V/14Ah AGM Deep Cycle Batt.	BAT212120086	151 x 98 x 101	✓		4.4		\$ 68	
	12V/22Ah AGM Deep Cycle Batt.	BAT212200084	181 x 77 x 167	✓		5.8		\$ 97	
	12V/38Ah AGM Deep Cycle Batt.	BAT412350084	197 x 165 x 170	✓		15		\$ 226	
	12V/60Ah AGM Deep Cycle Batt.	BAT412550084	229 x 138 x 227	✓		18	280 / 80	\$ 261	
	12V/90Ah AGM Deep Cycle Batt.	BAT412800084	350 x 167 x 183	✓	✓	27	400 / 130	\$ 384	
	12V/110Ah AGM Deep Cycle Batt.	BAT412101084	330 x 171 x 220	✓	✓	32	500 / 170	\$ 482	
	12V/130Ah AGM Deep Cycle Batt.	BAT412121084	410 x 176 x 227	✓	✓	38	550 / 200	\$ 568	
	12V/165Ah AGM Deep Cycle Batt.	BAT412151084	485 x 172 x 240	✓	✓	47	600 / 220	\$ 719	
	12V/220Ah AGM Deep Cycle Batt.	BAT412201084	522 x 238 x 240	✓	✓	65	650 / 250	\$ 880	
	AGM deep cycle battery with threaded insert terminals								
		12V/90Ah AGM Deep Cycle Batt. (M6)	BAT412800085	350 x 167 x 183	✓	✓	27	400 / 130	\$ 384
		12V/110Ah AGM Deep Cycle Batt. (M8)	BAT412101085	330 x 171 x 220	✓	✓	32	500 / 170	\$ 458
12V/165Ah AGM Deep Cycle Batt. (M8)		BAT412151085	485 x 172 x 240	✓	✓	47	600 / 220	\$ 719	
12V/220Ah AGM Deep Cycle Batt. (M8)		BAT412201085	522 x 238 x 240	✓	✓	65	650 / 250	\$ 880	
12V/240Ah AGM Deep Cycle Batt. (M8)		BAT412124081	522 x 240 x 224	✓	✓	67	650 / 250	\$ 896	
AGM Super Cycle battery with threaded insert terminals									
	12V/15Ah AGM Super Cycle Batt. (M5)	BAT412015081	151 x 100 x 103	✓		4.1		\$ 72	
	12V/25Ah AGM Super Cycle Batt. (M5)	BAT412025081	181 x 77 x 175	✓		6.5		\$ 102	
	12V/38Ah AGM Super Cycle Batt. (M5)	BAT412038081	267 x 77 x 175	✓		9.5		\$ 186	
	12V/60Ah AGM Super Cycle Batt. (M6)	BAT412060082	224 x 135 x 178	✓		14		\$ 272	
	12V/100Ah AGM Super Cycle Batt. (M6)	BAT412110081	260 x 168 x 215	✓		26	500 / 170	\$ 476	
	12V/125Ah AGM Super Cycle Batt. (M8)	BAT412112081	330 x 171 x 214	✓		33	550 / 220	\$ 606	
	12V/170Ah AGM Super Cycle Batt. (M8)	BAT412117081	339 x 172 x 281	✓		45	600 / 290	\$ 763	
	12V/230Ah AGM Super Cycle Batt. (M8)	BAT412123081	532 x 207 x 226	✓		57	700 / 400	\$ 1,011	
AGM deep cycle telecom battery with threaded insert terminals									
	12V/115Ah AGM Telecom Batt. (M8)	BAT412105164	395 x 110 x 293	✓	✓	35	500 / 200	\$ 532	
	12V/165Ah AGM Telecom Batt. (M8)	BAT412151164	548 x 105 x 316	✓	✓	49	600 / 220	\$ 743	
	12V/200Ah AGM Telecom Batt. (M8)	BAT412181164	546 x 125 x 323	✓	✓	59	650 / 250	\$ 846	
GEL Deep Cycle (C20 capacity)									
	12V/60Ah Gel Deep Cycle Batt.	BAT412550104	229 x 138 x 227	✓		19	250 / 70	\$ 300	
	12V/90Ah Gel Deep Cycle Batt.	BAT412800104	350 x 167 x 183	✓	✓	26	360 / 120	\$ 395	
	12V/110Ah Gel Deep Cycle Batt.	BAT412101104	330 x 171 x 220	✓	✓	33	450 / 150	\$ 490	
	12V/130Ah Gel Deep Cycle Batt.	BAT412121104	410 x 176 x 227	✓	✓	38	500 / 180	\$ 574	
	12V/165Ah Gel Deep Cycle Batt.	BAT412151104	485 x 172 x 240	✓	✓	48	550 / 200	\$ 740	
	12V/220Ah Gel Deep Cycle Batt.	BAT412201104	522 x 238 x 240	✓	✓	66	600 / 220	\$ 906	
	12V/265Ah Gel Deep Cycle Batt. (M8)	BAT412126101	520 x 268 x 223	✓	✓	75	650 / 250	\$ 1,197	
Lead Carbon Battery with threaded insert terminals									
	Lead Carbon Battery 12V/106Ah (M8)	BAT612110081	410 x 180 x 210	✓		36		\$ 540	
	Lead Carbon Battery 12V/160Ah (M8)	BAT612116081	532 x 207 x 226	✓		55		\$ 808	

* CCA @ 0°F: SAE Cold Cranking Amps at 0° F / -18°C
RES CAP @ 80°F: Reserve Capacity at 80°F / 27°C



2026-Q3

New products are marked with ★
 Article number with suffix (R): also available in retail packaging
 Article number with suffix R: available in retail packaging only

AUD C

SOLAR PANELS



			H x W x D	€	cells	kg	Ex GST
	20W-12V Mono 275x450x25mm series 4c (min 5pcs)	SPM040203603		✓★	36	1.3	\$ 44
	30W-12V Mono 380x450x25mm series 4c (min 5pcs)	SPM040303603		✓	36	1.8	\$ 54
	40W-12V Mono 425x668x25mm series 4a* (min 5pcs)	SPM040401200		✓	36	3.1	\$ 69
	55W-12V Mono 715x445x25mm series 4c (min 5pcs)	SPM040553603		✓	36	3.4	\$ 91
	95W-12V Mono 770x668x30mm series 4c (min 4pcs)	SPM040953003		✓	36	5.4	\$ 138
	130W-12V Mono 1020x668x30mm series 4c (min 4pcs)	SPM041303603		✓★	36	7.2	\$ 150
	130W-12V Mono 1200x668x30mm series 4a (min 4pcs)	SPM041301200		✓	36	8.0	\$ 175
	150W-12V Mono 1485x668x30mm series 4a (min 4pcs)	SPM041501200		✓	36	9.0	\$ 175
	185W-12V Mono 1485x668x30mm series 4a (min 4pcs)	SPM041851200		✓	36	11	\$ 204
	190W-24V Mono 1485x668x30mm series 4c (min 4pcs)	SPM041903903		✓★	39	11	\$ 176
	215W-24V Mono 1580x705x35mm series 4b (min 4pcs)	SPM042152402		✓	72	12	\$ 248
	235W-24V Mono 1350x880x30mm series 4c (min 4pcs)	SPM042357203		✓★	72	13	\$ 213
	235W-24V Mono 1350x880x30mm series 4d (min 4pcs)	SPM042357204		✓★	72	13	\$ 248
	285W-24V Mono 1550x880x35mm series 4c (min 4pcs)	SPM042855603		✓★	56	14	\$ 262
	345W-24V Mono 1870x880x35mm series 4c (min 4pcs)	SPM043456803		✓	68	17	\$ 356
	365W-24V Mono 1980x880x35mm series 4c (min 4pcs)	SPM043657203		✓	72	18	\$ 340
	30W-12V Poly 665x350x25mm series 4a* (min 5pcs)	SPP040301200		✓	36	2.8	\$ 47
	45W-12V Poly 425x668x25mm series 4a* (min 5pcs)	SPP040451200		✓	36	3.1	\$ 65
	130W-12V Poly 1200x668x30mm series 4a (min 4pcs)	SPP041301200		✓	37	9.0	\$ 127
	175W-12V Poly 1485x668x30mm series 4a (min 4pcs)	SPP041751200		✓	36	11	\$ 154
	330W-24V Poly 1980x1002x40mm series 4b (min 4pcs)	SPP043302402		✓	72	23	\$ 230

SOLAR CABLES AND ACCESSORIES



SolarSense 750



Solar splitter pair MC4-Y



Solar connector pair MC4



Solar Cable with male and female MC4 connectors



MC4 male to MC3 female



MC4 female to MC3 male

SolarSense 750 (solar irradiance sensor)	SLS300175100	✓			0.1		\$ 138
Solar Cable (4 mm ²) with pre-assembled male and female MC4 (PV-ST01) connectors							
Length 1 m	SCA000100000	✓					\$ 12
Length 3 m	SCA000300000	✓					\$ 18
Length 5 m	SCA000500000	✓					\$ 26
Solar Cable (6 mm ²) with pre-assembled male and female MC4 (PV-ST01) connectors							
Length 1 m	SCA000100100	✓					\$ 14
Length 3 m	SCA000300100	✓					\$ 21
Length 5 m	SCA000500100	✓					\$ 32
Length 10 m	SCA001000100	✓					\$ 69
Length 20 m	SCA002000100	✓					\$ 129
Solar adapter cable MC4 male to MC3 female, length 15 cm	SCA500100000	✓					\$ 12
Solar adapter cable MC4 female to MC3 male, length 15 cm	SCA500200000	✓					\$ 12
Solar splitter pair MC4-Y, 1x M-2F / 1x F-2M	SCA520500000	✓					\$ 22
Solar connector pair MC4, 1x Male / 1x Female	SCA520300000	✓					\$ 15

LITHIUM (LiFePO4) BATTERIES			H x W x D	€	cells	kg	Ex GST
	LiFePO4 battery 12.8V/100Ah - Smart	BAT512110610	197 x 321 x 152	✓	14		\$ 1,172
	LiFePO4 battery 12.8V/100Ah NG	BAT512110620	235 x 197 x 160	✓	9.5		\$ 1,002
	LiFePO4 battery 12.8V/150Ah NG	BAT512115620	205 x 250 x 205	✓	15		\$ 1,231
	LiFePO4 battery 12.8V/180Ah - Smart	BAT512118610	237 x 321 x 152	✓	21		\$ 1,270
	LiFePO4 Battery 12.8V/200Ah - Smart	BAT512120610	237 x 321 x 152	✓	20		\$ 1,716
	LiFePO4 Battery 12.8V/200Ah NG	BAT512120620	235 x 341 x 160	✓	18		\$ 1,630
	LiFePO4 Battery 12.8V/300Ah NG	BAT512130620	206 x 447 x 205	✓	28		\$ 2,553
	LiFePO4 Battery 25.6V/100Ah - Smart	BAT524110610	197 x 650 x 163	✓	27		\$ 2,153
	LiFePO4 Battery 25.6V/100Ah NG	BAT524110620	235 x 341 x 160	✓	19		\$ 1,800
	LiFePO4 Battery 25.6V/200Ah - Smart-a	BAT524120610	237 x 650 x 163	✓	38		\$ 3,282
	LiFePO4 Battery 25.6V/200Ah NG	BAT524120620	235 x 648 x 162	✓	37		\$ 3,118
	LiFePO4 Battery 25.6V/300Ah NG	BAT524130620	206 x 841 x 205	✓	55		\$ 4,329
	LiFePO4 Battery 51.2V/100Ah NG	BAT548110620	235 x 648 x 162	✓	37		\$ 3,429
	VE.Bus BMS	BMS300200000	30 x 105 x 72	✓	0.2		\$ 201
	VE.Bus BMS V2	BMS300200200	24 x 95 x 106	✓	0.2		\$ 267
	VE.Bus BMS NG	BMS300200300	24 x 95 x 106	✓	0.2		\$ 254
smallBMS	BMS400100000	43 x 106 x 23	✓	0.1		\$ 84	
smallBMS NG	BMS400100300	43 x 106 x 23	✓	0.1		\$ 138	
	Inverting remote on-off cable	ASS030550120		✓			\$ 26
	Non-inverting remote on-off cable	ASS030550220		✓			\$ 26
	SolidSwitch 104	BMS800200104	23 x 67 x 58	✓			\$ 67
	VE.Bus BMS to BMS 12-200 alternator control cable	ASS030510120		✓			\$ 53
	Cyrix-Li-load 12/24V-120A	CYR010120450	46 x 46 x 80	✓	0.1		\$ 112
	Cyrix-Li-load 24/48V-120A	CYR020120450	46 x 46 x 80	✓	0.1		\$ 112
	Cyrix-Li-Charge 12/24V-120A	CYR010120430	46 x 46 x 80	✓	0.1		\$ 130
	Cyrix-Li-Charge 24/48V-120A	CYR020120430	46 x 46 x 80	✓	0.1		\$ 130
	Cyrix-Li-ct 12/24V-120A combiner	CYR010120412	46 x 46 x 80	✓	0.1		\$ 130
	Cyrix-Li-load 12/24V-230A	CYR010230450	65 x 100 x 50	✓	0.3		\$ 278
	Cyrix-Li-load 24/48V-230A	CYR020230450	65 x 100 x 50	✓	0.3		\$ 278
	Cyrix-Li-Charge 12/24V-230A	CYR010230430	65 x 100 x 50	✓	0.3		\$ 278
	Cyrix-Li-Charge 24/48V-230A	CYR020230430	65 x 100 x 50	✓	0.3		\$ 278
	Cyrix-Li-ct 12/24V-230A combiner	CYR010230412	65 x 100 x 50	✓	0.3		\$ 278
	Smart BMS 12/200	BMS210055000	65 x 120 x 340	✓	1.8		\$ 360
	Smart BMS CL 12/100	BMS110022000	65 x 120 x 224	✓	1.6		\$ 210
	Cable for Smart BMS CL 12/100	ASS070200100		✓			\$ 23
Cables with M8 circular connector (for Li-ion batteries): see DATA CABLES							
	Victron Peak Power Pack 12.8V/20Ah 256Wh	PPP012020000	132 x 190 x 172	✓	3.8		\$ 654
	Victron Peak Power Pack 12.8V/30Ah 384Wh	PPP012030000	172 x 190 x 172	✓	5.4		\$ 907
	Victron Peak Power Pack 12.8V/40Ah 512Wh	PPP012040000	212 x 190 x 172	✓	8.6		\$ 1,135
	Lithium SuperPack 12.8V/20Ah (M5)	BAT512020705	167 x 181 x 77	✓	3.5		\$ 293
	Lithium SuperPack 12.8V/60Ah (M6)	BAT512060705	213 x 229 x 138	✓	9.5		\$ 661
	Lithium SuperPack 12.8V/100Ah-a (M8)	BAT512110712	220 x 330 x 172	✓	14		\$ 875
	Lithium SuperPack 12.8V/100Ah NG	BAT512110740	273 x 173 x 173	✓	11		\$ 1,125
	Lithium SuperPack 12.8V/200Ah (M8)	BAT512120705	208 x 520 x 269	✓	21		\$ 1,543
	Lithium SuperPack 12.8V/200Ah NG	BAT512120740	466 x 198 x 173	✓	21		\$ 1,836
	Lithium SuperPack 25.6V/50Ah (M8)	BAT524050705	220 x 330 x 172	✓	14		\$ 1,252
	Lithium SuperPack 25.6V/100Ah NG	BAT524110740	466 x 198 x 173	✓	21		\$ 2,027
	Lithium NG Service Tool USB-A	ASS032300010					\$ 77
	Lithium NG Service Tool USB-C	ASS032300030					\$ 77



2026-Q3

New products are marked with ★
 Article number with suffix (R): also available in retail packaging
 Article number with suffix R: available in retail packaging only

AUD C

APPENDIX	INVERTERS: ALTERNATIVE OUTLETS		H x W x D	€	kg	Ex GST
	230VAC/50Hz Sinewave					
	Inverter 12/250 VE.Direct IEC	PIN121251100	86 x 165 x 260	✓	2.4	\$ 149
	Inverter 12/250 VE.Direct AU/NZ (AS/NZS 3112)	PIN121251310	86 x 165 x 260	✓	2.4	\$ 149
	Inverter 12/250 VE.Direct UK (BS 1363)	PIN121251400	86 x 165 x 260	✓	2.4	\$ 149
	Inverter 12/375 VE.Direct IEC	PIN121371100	86 x 165 x 260	✓	3.0	\$ 192
	Inverter 12/375 VE.Direct AU/NZ (AS/NZS 3112)	PIN121371300	86 x 165 x 260	✓	3.0	\$ 192
	Inverter 12/375 VE.Direct UK (BS 1363)	PIN121371400	86 x 165 x 260	✓	3.0	\$ 192
	Inverter 12/500 VE.Direct IEC	PIN121501100	86 x 172 x 275	✓	3.9	\$ 241
	Inverter 12/500 VE.Direct AU/NZ (AS/NZS 3112)	PIN121501300	86 x 172 x 275	✓	3.9	\$ 241
	Inverter 12/500 VE.Direct UK (BS 1363)	PIN121501400	86 x 172 x 275	✓	3.9	\$ 241
	Inverter 12/800 VE.Direct IEC	PIN121801100	105 x 216 x 305	✓	5.5	\$ 391
	Inverter 12/800 VE.Direct AU/NZ (AS/NZS 3112)	PIN121801300	105 x 216 x 305	✓	5.5	\$ 391
	Inverter 12/800 VE.Direct UK (BS 1363)	PIN121801400	105 x 216 x 305	✓	5.5	\$ 391
	Inverter 12/1200 VE.Direct IEC	PIN122121100	117 x 232 x 362	✓	7.4	\$ 459
	Inverter 12/1200 VE.Direct AU/NZ (AS/NZS 3112)	PIN122121310	117 x 232 x 362	✓	7.4	\$ 459
	Inverter 12/1200 VE.Direct UK (BS 1363)	PIN122121410	117 x 232 x 362	✓	7.4	\$ 459
	Inverter 12/1600 VE.Direct IEC	PIN122161100	117 x 231 x 395	✓	7.4	\$ 536
	Inverter 12/1600 VE.Direct AU/NZ	PIN122161300	117 x 231 x 395	✓	7.4	\$ 536
	Inverter 12/1600 VE.Direct UK	PIN122161400	117 x 231 x 395	✓	7.4	\$ 536
	Inverter 24/250 VE.Direct IEC	PIN241251100	86 x 165 x 260	✓	2.4	\$ 166
	Inverter 24/250 VE.Direct AU/NZ (AS/NZS 3112)	PIN241251300	86 x 165 x 260	✓	2.4	\$ 166
	Inverter 24/250 VE.Direct UK (BS 1363)	PIN241251400	86 x 165 x 260	✓	2.4	\$ 166
	Inverter 24/375 VE.Direct IEC	PIN241371100	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 24/375 VE.Direct AU/NZ (AS/NZS 3112)	PIN241371300	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 24/375 VE.Direct UK (BS 1363)	PIN241371400	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 24/500 VE.Direct IEC	PIN241501100	86 x 172 x 275	✓	3.9	\$ 267
	Inverter 24/500 VE.Direct AU/NZ (AS/NZS 3112)	PIN241501300	86 x 172 x 275	✓	3.9	\$ 267
	Inverter 24/500 VE.Direct UK (BS 1363)	PIN241501400	86 x 172 x 275	✓	3.9	\$ 267
	Inverter 24/800 VE.Direct IEC	PIN241801100	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 24/800 VE.Direct AU/NZ (AS/NZS 3112)	PIN241801300	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 24/800 VE.Direct UK	PIN241801400	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 24/1200 VE.Direct IEC	PIN242121100	117 x 232 x 327	✓	7.4	\$ 490
	Inverter 24/1200 VE.Direct AU/NZ (AS/NZS 3112)	PIN242121300	117 x 232 x 327	✓	7.4	\$ 490
	Inverter 24/1200 VE.Direct UK (BS 1363)	PIN242121400	117 x 232 x 327	✓	7.4	\$ 490
	Inverter 24/1600 VE.Direct IEC	PIN242161100	117 x 231 x 395	✓★	9.0	August \$ 574
	Inverter 24/1600 VE.Direct AU/NZ (AS/NZS 3112)	PIN242161300	117 x 231 x 395	✓★	9.0	August \$ 574
	Inverter 24/1600 VE.Direct UK (BS 1363)	PIN242161400	117 x 231 x 395	✓★	9.0	August \$ 574
	Inverter 48/250 VE.Direct IEC	PIN481251100	86 x 165 x 260	✓	2.4	\$ 166
	Inverter 48/375 VE.Direct IEC	PIN481371100	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 48/375 VE.Direct AU/NZ (AS/NZS 3112)	PIN481371300	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 48/375 VE.Direct UK (BS 1363)	PIN481371400	86 x 165 x 260	✓	3.0	\$ 214
	Inverter 48/500 VE.Direct IEC	PIN481501100	86 x 172 x 275	✓	3.9	\$ 267
	Inverter 48/500 VE.Direct AU/NZ (AS/NZS 3112)	PIN481501300	86 x 172 x 275	✓	3.9	\$ 267
	Inverter 48/800 VE.Direct IEC	PIN481801100	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 48/800 VE.Direct AU/NZ (AS/NZS 3112)	PIN481801300	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 48/800 VE.Direct UK (BS 1363)	PIN481801400	105 x 216 x 305	✓	5.5	\$ 434
	Inverter 48/1200 VE.Direct IEC	PIN482121100	117 x 232 x 327	✓	7.4	\$ 490
	Inverter 48/1600 VE.Direct IEC	PIN482161100	117 x 231 x 395	✓★	9.0	August \$ 574
	Inverter 48/1600 VE.Direct AU/NZ (AS/NZS 3112)	PIN482161300	117 x 231 x 395	✓★	9.0	August \$ 574
	Inverter 48/1600 VE.Direct UK (BS 1363)	PIN482161400	117 x 231 x 395	✓★	9.0	August \$ 574



Inverter 12/375 VE.Direct



VE.Direct inverter app

(VE.Direct Bluetooth dongle needed)

APPENDIX	BATTERY CHARGERS: ALTERNATIVE AC PLUGS	H x W x D	€	kg	Ex GST	
	1 output, natural convection cooling. With BS 1363 plug (UK)					
	Blue Smart IP65 Charger 6V/12V-1.1 + DC connector	BPC120134024R	36 x 65 x 149	✓	0.4	\$ 91
	Blue Smart IP65s Charger 12/4 + DC connector	BPC120433024R	45 x 81 x 182	✓	0.6	\$ 131
	Blue Smart IP65s Charger 12/5 + DC connector	BPC120533024R	45 x 81 x 182	✓	0.6	\$ 145
	Blue Smart IP65 Charger 12/7 + DC connector	BPC120731024R	47 x 95 x 190	✓	0.8	\$ 172
	Blue Smart IP65 Charger 12/10 + DC connector	BPC121032024R	60 x 105 x 190	✓	0.9	\$ 199
	Blue Smart IP65 Charger 12/15 + DC connector	BPC121531024R	60 x 105 x 190	✓	0.8	\$ 212
	Blue Smart IP65 Charger 12/25 + DC connector	BPC122531024	75 x 140 x 240	✓	1.9	\$ 297
	Blue Smart IP65 Charger 24/8 + DC connector	BPC240831024R	60 x 105 x 190	✓	0.9	\$ 212
	Blue Smart IP65 Charger 24/13 + DC connector	BPC241331024	75 x 140 x 240	✓	1.9	\$ 297
	1 output or 3 outputs, fan assisted cooling. With BS 1363 plug (UK)					
	Blue Smart IP22 Charger 12/15 (1)	BPC121542022	235 x 108 x 65	✓	1.4	\$ 218
	Blue Smart IP22 Charger 12/15 (3)	BPC121544022	235 x 108 x 65	✓	1.4	\$ 226
	Blue Smart IP22 Charger 12/20 (1)	BPC122042022	235 x 108 x 65	✓	1.4	\$ 235
	Blue Smart IP22 Charger 12/20 (3)	BPC122043022	235 x 108 x 65	✓	1.4	\$ 265
	Blue Smart IP22 Charger 12/30 (1)	BPC123047022	235 x 108 x 65	✓	1.4	\$ 282
	Blue Smart IP22 Charger 12/30 (3)	BPC123048022	235 x 108 x 65	✓	1.4	\$ 302
	Blue Smart IP22 Charger 24/12(1)	BPC241242022	235 x 108 x 65	✓	1.4	\$ 242
	Blue Smart IP22 Charger 24/16 (1)	BPC241647022	235 x 108 x 65	✓	1.4	\$ 275
	Blue Smart IP22 Charger 24/16 (3)	BPC241648022	235 x 108 x 65	✓	1.4	\$ 311
	1 output, natural convection cooling. With BS 1363 plug (UK)					
	Blue Smart IP67 Charger 12/7(1)	BPC120747026	85 x 211 x 60	✓	1.8	\$ 161
	Blue Smart IP67 Charger 12/13(1)	BPC121347026	85 x 211 x 60	✓	1.8	\$ 214
	Blue Smart IP67 Charger 12/17(1)	BPC121747026	99 x 219 x 65	✓	2.4	\$ 235
	Blue Smart IP67 Charger 12/25(1)	BPC122547026	99 x 219 x 65	✓	2.4	\$ 275
	Blue Smart IP67 Charger 24/12(1)	BPC241247026	99 x 219 x 65	✓	2.4	\$ 275
	1 output, natural convection cooling. With AS/NZS 3112 plug (AU/NZ)					
	Blue Smart IP65 Charger 6V/12V-1.1 + DC connector	BPC120134014R	36 x 65 x 149	✓	0.4	\$ 91
	Blue Smart IP65s Charger 12/4 + DC connector	BPC120433014R	45 x 81 x 182	✓	0.6	\$ 131
	Blue Smart IP65s Charger 12/5 + DC connector	BPC120533014R	45 x 81 x 182	✓	0.6	\$ 145
	Blue Smart IP65 Charger 12/7 + DC connector	BPC120731014R	47 x 95 x 190	✓	0.8	\$ 172
	Blue Smart IP65 Charger 12/10 + DC connector	BPC121031014R	60 x 105 x 190	✓	0.9	\$ 203
	Blue Smart IP65 Charger 12/15 + DC connector	BPC121531014R	60 x 105 x 190	✓	0.9	\$ 212
	Blue Smart IP65 Charger 12/25 + DC connector	BPC122531014	75 x 140 x 240	✓	1.9	\$ 297
	Blue Smart IP65 Charger 24/5 + DC connector	BPC240531014R	47 x 95 x 190	✓	0.8	\$ 172
	Blue Smart IP65 Charger 24/8 + DC connector	BPC240832014R	60 x 105 x 190	✓	0.9	\$ 208
	Blue Smart IP65 Charger 24/13 + DC connector	BPC241331014	75 x 140 x 240	✓	1.9	\$ 297
	1 output or 3 outputs, fan assisted cooling. With AS/NZS 3112 plug (AU/NZ)					
	Blue Smart IP22 Charger 12/15(1)	BPC121542012	235 x 108 x 65	✓	1.4	\$ 218
	Blue Smart IP22 Charger 12/15(3)	BPC121544012	235 x 108 x 65	✓	1.4	\$ 226
	Blue Smart IP22 Charger 12/20(1)	BPC122042012	235 x 108 x 65	✓	1.4	\$ 235
	Blue Smart IP22 Charger 12/20(3)	BPC122044012	235 x 108 x 65	✓	1.4	\$ 265
	Blue Smart IP22 Charger 12/30 (1)	BPC123047012	235 x 108 x 65	✓	1.4	\$ 282
	Blue Smart IP22 Charger 12/30 (3)	BPC123048012	235 x 108 x 65	✓	1.4	\$ 302
	Blue Smart IP22 Charger 24/16 (1)	BPC241647012	235 x 108 x 65	✓	1.4	\$ 275
	Blue Smart IP22 Charger 24/16 (3)	BPC241648012	235 x 108 x 65	✓	1.4	\$ 311
	1 output, natural convection cooling. With AS/NZS 3112 plug (AU/NZ)					
	Blue Smart IP67 Charger 12/7 (1)	BPC120713016	85 x 211 x 60	✓	1.8	\$ 161
	Blue Smart IP67 Charger 12/13(1)	BPC121347016	85 x 211 x 60	✓	1.8	\$ 214
	Blue Smart IP67 Charger 12/17 (1)	BPC121713016	99 x 219 x 65	✓	2.4	\$ 235
	Blue Smart IP67 Charger 12/25 (1)	BPC122547016	99 x 219 x 65	✓	2.4	\$ 275
	Blue Smart IP67 Charger 24/5(1)	BPC240547016	85 x 211 x 60	✓	2.4	\$ 180
	Blue Smart IP67 Charger 24/8(1)	BPC240847016	99 x 219 x 65	✓	2.4	\$ 235
	Blue Smart IP67 Charger 24/12 (1)	BPC241247016	99 x 219 x 65	✓	2.4	\$ 275
	1 output, natural convection cooling. With CEE 7/16 plug					
	Blue Smart IP65 Charger 6V/12V-1.1 + DC connector	BPC120134034R	38 x 64 x 153	✓	0.4	\$ 91
	Blue Smart IP65s Charger 12/4 + DC connector	BPC120433034R	45 x 81 x 182	✓	0.6	\$ 131
	Blue Smart IP65s Charger 12/5 + DC connector	BPC120533034R	45 x 81 x 182	✓	0.6	\$ 145
	Blue Smart IP65 Charger 12/7 + DC connector	BPC120731034R	47 x 95 x 190	✓	0.8	\$ 172
	Blue Smart IP65 Charger 12/10 + DC connector	BPC121031034R	60 x 105 x 190	✓	0.9	\$ 203
	Blue Smart IP65 Charger 12/15 + DC connector	BPC121531034R	60 x 105 x 190	✓	0.9	\$ 212
	Blue Smart IP65 Charger 12/25 + DC connector	BPC122531034	75 x 140 x 240	✓	1.9	\$ 297
	Blue Smart IP65 Charger 24/5 + DC connector	BPC240531034R	47 x 95 x 190	✓	0.8	\$ 172
	Blue Smart IP65 Charger 24/8 + DC connector	BPC240831034R	60 x 105 x 190	✓	0.9	\$ 212
	Blue Smart IP65 Charger 24/13 + DC connector	BPC241331034	75 x 140 x 240	✓	1.9	\$ 297

CONDITIONS

These recommended prices for end users are a guideline only.
Prices can vary depending on local conditions

All prices are per unit
All prices are Ex VAT

Warranty: Li-ion batteries: 3 year limited warranty
Other batteries: 2 year limited warranty
All other products: 5 year limited warranty
All other products: 10% surcharge on net price for 5 year warranty extension (10 year warranty)
Victron does not sell directly to end users, for warranty claims please contact your retailer or installer

General Conditions: All our quotations, sales, deliveries and services are subject to our General Conditions of Delivery and Sale which are deposited at the Dutch Chamber of Commerce registration nr 39059013.

Victron Energy B.V.
De Paal 35, 1351 JG Almere, The Netherlands. www.victronenergy.com

Prices may change without notice.



True energy independence. Powered by know-how.

At Victron Energy we're as dedicated to making and improving power solutions today as when we started in 1975. Our robust ecosystem of flexible building blocks delivers energy independence for the most demanding applications—from off-grid and energy storage to marine, vehicle, and industrial specialist solutions.

The modular product range includes heavy-duty sine wave inverters, inverter/chargers, battery chargers, DC-DC converters, solar charge controllers, batteries, battery monitors and DC distribution systems. Our world leading VictronConnect app and Victron Remote Management (VRM) portal ensure perfect control, from wherever you are.

Engineered for limitless customisation, our platform powers tailor-made automation workflows, integrating devices, sensors, APIs, and online services.

Thanks to decades of real-world testing and customer feedback, our products have been proven to deliver reliability time and time again, even in the harshest of climates. This makes them unmatched in ruggedness, long-term value and cost of ownership.

Millions of customers worldwide value the reassurance our power solutions deliver, knowing they have our worldwide network of authorised dealers by their side. They know that our family-run business is built on a foundation of trust that has defined Victron Energy for decades.

Energy. Anytime. Anywhere.

Victron Energy

Designed in The Netherlands, distributed worldwide.
sales@victronenergy.com - www.victronenergy.com





BLUE POWER

Energy. Anytime. Anywhere.

sales@victronenergy.com
www.victronenergy.com



SAL062100AUD